

ANALYTICAL REPORT

Eurofins Seattle
5755 8th Street East
Tacoma, WA 98424
Tel: (253)922-2310

Laboratory Job ID: 580-109169-1
Client Project/Site: CV22F0106

For:
AECOM
1001 Bishop Street
Honolulu, Hawaii 96813

Attn: Margie F Pascua



Authorized for release by:
1/13/2022 9:04:59 PM
Kristine Allen, Client Service Manager
(253)248-4970
Kristine.Allen@Eurofinset.com

Designee for
Elaine Walker, Project Manager II
(253)248-4972
m.elaine.walker@eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions	4
Client Sample Results	5
QC Sample Results	10
Chronicle	12
Certification Summary	13
Sample Summary	14
Chain of Custody	15
Receipt Checklists	20

Case Narrative

Client: AECOM
Project/Site: CV22F0106

Job ID: 580-109169-1

Job ID: 580-109169-1

Laboratory: Eurofins Seattle

Narrative

Job Narrative 580-109169-1

Comments

No additional comments.

Receipt

The samples were received on 1/11/2022 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 0.3° C and 0.7° C.

Receipt Exceptions

One of the three VOA vials for the following sample was received broken: 220109-B1-ZT-03 (580-109169-5).

GC/MS VOA

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC Semi VOA

Method 8015D: 220109-C3-ZT-01 (580-109169-1), 20220109-D4-YT-04 (580-109169-2), 20220109-A3-YT-02 (580-109169-3), 20220109-E1-YT-03 (580-109169-4), 220109-B1-ZT-03 (580-109169-5) and (MB 580-378054/1-A) are associated with a method blank which recovers outside control limits, low-biased, for o-Terphenyl surrogate (47%, >53% required). Associated client samples recover within control limits for this surrogate, indicating a successful extraction, and are non-detect for C9-C25 and C24-C40 hydrocarbons, demonstrating that the extraction was free of laboratory contamination; therefore, the data has been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Organic Prep

Method 3510C: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with preparation batch 580-378054. Laboratory control sample/laboratory control sample duplicate were created and substituted for the MS/MSD/DUP.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Definitions/Glossary

Client: AECOM
Project/Site: CV22F0106

Job ID: 580-109169-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
S1-	Surrogate recovery exceeds control limits, low biased.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Client Sample Results

Client: AECOM
Project/Site: CV22F0106

Job ID: 580-109169-1

Client Sample ID: 220109-C3-ZT-01

Lab Sample ID: 580-109169-1

Date Collected: 01/09/22 17:20

Matrix: Water

Date Received: 01/11/22 10:00

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C6-C12)	31	U	100	31	ug/L			01/12/22 13:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		78 - 120					01/12/22 13:48	1

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C9-C25	93	U	110	93	ug/L		01/11/22 17:34	01/12/22 04:43	1
C24-C40	190	U	210	190	ug/L		01/11/22 17:34	01/12/22 04:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	75		53 - 120				01/11/22 17:34	01/12/22 04:43	1

Client Sample Results

Client: AECOM
Project/Site: CV22F0106

Job ID: 580-109169-1

Client Sample ID: 20220109-D4-YT-04

Lab Sample ID: 580-109169-2

Date Collected: 01/09/22 18:40

Matrix: Water

Date Received: 01/11/22 10:00

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C6-C12)	31	U	100	31	ug/L			01/12/22 14:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		78 - 120					01/12/22 14:36	1

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C9-C25	95	U	120	95	ug/L		01/11/22 17:34	01/12/22 05:03	1
C24-C40	190	U	210	190	ug/L		01/11/22 17:34	01/12/22 05:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	81		53 - 120				01/11/22 17:34	01/12/22 05:03	1

Client Sample Results

Client: AECOM
 Project/Site: CV22F0106

Job ID: 580-109169-1

Client Sample ID: 20220109-A3-YT-02

Lab Sample ID: 580-109169-3

Date Collected: 01/09/22 13:50

Matrix: Water

Date Received: 01/11/22 10:00

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C6-C12)	31	U	100	31	ug/L			01/12/22 15:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		78 - 120					01/12/22 15:00	1

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C9-C25	94	U	120	94	ug/L		01/11/22 17:34	01/12/22 05:23	1
C24-C40	190	U	210	190	ug/L		01/11/22 17:34	01/12/22 05:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	72		53 - 120				01/11/22 17:34	01/12/22 05:23	1

Client Sample Results

Client: AECOM
Project/Site: CV22F0106

Job ID: 580-109169-1

Client Sample ID: 20220109-E1-YT-03

Lab Sample ID: 580-109169-4

Date Collected: 01/09/22 16:55

Matrix: Water

Date Received: 01/11/22 10:00

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C6-C12)	31	U	100	31	ug/L			01/12/22 15:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		78 - 120					01/12/22 15:24	1

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C9-C25	96	U	120	96	ug/L		01/11/22 17:34	01/12/22 05:43	1
C24-C40	190	U	210	190	ug/L		01/11/22 17:34	01/12/22 05:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	72		53 - 120				01/11/22 17:34	01/12/22 05:43	1

Client Sample Results

Client: AECOM
Project/Site: CV22F0106

Job ID: 580-109169-1

Client Sample ID: 220109-B1-ZT-03

Lab Sample ID: 580-109169-5

Date Collected: 01/09/22 19:20

Matrix: Water

Date Received: 01/11/22 10:00

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C6-C12)	31	U	100	31	ug/L			01/12/22 15:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		78 - 120					01/12/22 15:48	1

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C9-C25	92	U	110	92	ug/L		01/11/22 17:34	01/12/22 06:03	1
C24-C40	180	U	200	180	ug/L		01/11/22 17:34	01/12/22 06:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	73		53 - 120				01/11/22 17:34	01/12/22 06:03	1

QC Sample Results

Client: AECOM
Project/Site: CV22F0106

Job ID: 580-109169-1

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 580-378172/5
Matrix: Water
Analysis Batch: 378172

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C6-C12)	31	U	100	31	ug/L			01/12/22 10:14	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	89		78 - 120					01/12/22 10:14	1

Lab Sample ID: LCS 580-378172/8
Matrix: Water
Analysis Batch: 378172

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (C6-C12)	1000	1010		ug/L		101	75 - 127
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	103		78 - 120				

Lab Sample ID: LCSD 580-378172/9
Matrix: Water
Analysis Batch: 378172

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (C6-C12)	1000	1040		ug/L		104	75 - 127	2	13
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene (Surr)	100		78 - 120						

Method: 8015D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 580-378054/1-A
Matrix: Water
Analysis Batch: 378039

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 378054

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C9-C25	90	U	110	90	ug/L		01/11/22 17:34	01/12/22 03:42	1
C24-C40	180	U	200	180	ug/L		01/11/22 17:34	01/12/22 03:42	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	47	S1-	53 - 120				01/11/22 17:34	01/12/22 03:42	1

Lab Sample ID: LCS 580-378054/2-A
Matrix: Water
Analysis Batch: 378039

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 378054

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
C9-C25	1000	707		ug/L		71	55 - 134
C24-C40	1000	913		ug/L		91	36 - 143

Eurofins Seattle

QC Sample Results

Client: AECOM
Project/Site: CV22F0106

Job ID: 580-109169-1

Method: 8015D - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 580-378054/2-A
Matrix: Water
Analysis Batch: 378039

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 378054

Surrogate	LCS		Limits
	%Recovery	Qualifier	
<i>o</i> -Terphenyl	73		53 - 120

Lab Sample ID: LCSD 580-378054/3-A
Matrix: Water
Analysis Batch: 378039

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 378054

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.		RPD	Limit
							Limits	RPD		
C9-C25	1000	615		ug/L		62	55 - 134	14		26
C24-C40	1000	839		ug/L		84	36 - 143	8		24

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
<i>o</i> -Terphenyl	72		53 - 120

Lab Chronicle

Client: AECOM
Project/Site: CV22F0106

Job ID: 580-109169-1

Client Sample ID: 220109-C3-ZT-01

Lab Sample ID: 580-109169-1

Date Collected: 01/09/22 17:20

Matrix: Water

Date Received: 01/11/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	378172	01/12/22 13:48	JSM	FGS SEA
Total/NA	Prep	3510C			378054	01/11/22 17:34	JHR	FGS SEA
Total/NA	Analysis	8015D		1	378039	01/12/22 04:43	JAE	FGS SEA

Client Sample ID: 20220109-D4-YT-04

Lab Sample ID: 580-109169-2

Date Collected: 01/09/22 18:40

Matrix: Water

Date Received: 01/11/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	378172	01/12/22 14:36	JSM	FGS SEA
Total/NA	Prep	3510C			378054	01/11/22 17:34	JHR	FGS SEA
Total/NA	Analysis	8015D		1	378039	01/12/22 05:03	JAE	FGS SEA

Client Sample ID: 20220109-A3-YT-02

Lab Sample ID: 580-109169-3

Date Collected: 01/09/22 13:50

Matrix: Water

Date Received: 01/11/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	378172	01/12/22 15:00	JSM	FGS SEA
Total/NA	Prep	3510C			378054	01/11/22 17:34	JHR	FGS SEA
Total/NA	Analysis	8015D		1	378039	01/12/22 05:23	JAE	FGS SEA

Client Sample ID: 20220109-E1-YT-03

Lab Sample ID: 580-109169-4

Date Collected: 01/09/22 16:55

Matrix: Water

Date Received: 01/11/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	378172	01/12/22 15:24	JSM	FGS SEA
Total/NA	Prep	3510C			378054	01/11/22 17:34	JHR	FGS SEA
Total/NA	Analysis	8015D		1	378039	01/12/22 05:43	JAE	FGS SEA

Client Sample ID: 220109-B1-ZT-03

Lab Sample ID: 580-109169-5

Date Collected: 01/09/22 19:20

Matrix: Water

Date Received: 01/11/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	378172	01/12/22 15:48	JSM	FGS SEA
Total/NA	Prep	3510C			378054	01/11/22 17:34	JHR	FGS SEA
Total/NA	Analysis	8015D		1	378039	01/12/22 06:03	JAE	FGS SEA

Laboratory References:

FGS SEA = Eurofins Seattle, 5755 8th Street East, Tacoma, WA 98424, TEL (253)922-2310

Accreditation/Certification Summary

Client: AECOM
Project/Site: CV22F0106

Job ID: 580-109169-1

Laboratory: Eurofins Seattle

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
ANAB	Dept. of Defense ELAP	L2236	01-19-22

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Sample Summary

Client: AECOM
Project/Site: CV22F0106

Job ID: 580-109169-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
580-109169-1	220109-C3-ZT-01	Water	01/09/22 17:20	01/11/22 10:00
580-109169-2	20220109-D4-YT-04	Water	01/09/22 18:40	01/11/22 10:00
580-109169-3	20220109-A3-YT-02	Water	01/09/22 13:50	01/11/22 10:00
580-109169-4	20220109-E1-YT-03	Water	01/09/22 16:55	01/11/22 10:00
580-109169-5	220109-B1-ZT-03	Water	01/09/22 19:20	01/11/22 10:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Chain of Custody Record

Client Information		Sampler: AECOM		Lab PM: Elaine Walker		Carrier Tracking No(s): FedEx		COC No: 01092022DW-47								
Client Contact: Alethea Ramos (alternate: Margie Pascua)		Phone:		E-Mail: M.Elaine.Walker@EurofinsET.com		State of Origin: Hawaii		Page: Page 1 of 1								
Company: AECOM		PWSID:		Analysis Requested						Job #: 109169						
Address: 1001 Bishop St. Suite 1600		Due Date Requested: see subcontract														
City: Honolulu		TAT Requested (days): 2		Field Filtered Sample (Yes or No)		Perform MSMSD (Yes or No)		EPA 8260 TPH-g (HCl)		EPA 8015 TPH-d/o		Total Number of containers		Preservation Codes: A - HCL M - Hexane B - NaOH N - None C - Zn Acetate O - AsNaO2 D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2SO3 F - MeOH R - Na2S2O3 G - Amchlor S - H2SO4 H - Ascorbic Acid T - TSP Dodecahydrate I - Ice U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4-5 L - EDA Z - other (specify)		
State, Zip: Hawaii 96813		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No														
Phone: 808-521-3051 (direct: 808-529-7283) (alternate: 808-356-5373)		PO #:		Field Filtered Sample (Yes or No)		Perform MSMSD (Yes or No)		EPA 8260 TPH-g (HCl)		EPA 8015 TPH-d/o		Total Number of containers				
Email: alethea.ramos@aecom.com (alternate: margie.pascua@aecom.com)		WO #:														
Project Name: CV22F0106		Project #: 60674414		Field Filtered Sample (Yes or No)		Perform MSMSD (Yes or No)		EPA 8260 TPH-g (HCl)		EPA 8015 TPH-d/o		Total Number of containers				
Site: RHSF		SSOW#:														
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)		Perform MSMSD (Yes or No)		EPA 8260 TPH-g (HCl)		EPA 8015 TPH-d/o		Total Number of containers		Special Instructions/Note:
20220109-D4-NT-04		1/9/22	1840	G	W	M	N	X	X							
		1/9/22														
Possible Hazard Identification						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)										
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological						<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months										
Deliverable Requested: I, II, III, IV, Other (specify)				Prelim data (Level 1or2)=see TAT above. DoD Stage 4 report standard TAT. AECOM EQUIS EDD.				Special Instructions/QC Requirements: DOD QSM project.								
Empty Kit Relinquished by:		Date:		Time:		Method of Shipment:										
Relinquished by: <i>[Signature]</i>		Date/Time: 1/9/22 1952		Company: AECOM		Received by: <i>[Signature]</i>		Date/Time: 1/9/22 1952		Company: AECOM						
Relinquished by: Relinquished on behalf of Rachel Tucci		Date/Time: 1/10/22 1500		Company: AECOM		Received by: <i>[Signature]</i>		Date/Time: 1/10/22 1000		Company: EFGS						
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:				Cooler Temperature(s) and Other Remarks: 42 0.3/1.0 FedEx PD										

Chain of Custody Record

Hazard Compliance

Client Information		Sampler: AECOM		Lab PM: Elaine Walker		Carrier Tracking No(s): FedEx		COC No: 016920220W-52													
Client Contact: Alethea Ramos (alternate: Margie Pascua)		Phone:		E-Mail: M.Elaine.Walker@EurofinsET.com		State of Origin: Hawaii		Page: Page 1 of 1													
Company: AECOM		PWSID:		Analysis Requested						Job #: 109169											
Address: 1001 Bishop St. Suite 1600		Due Date Requested: see subcontract		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		EPA 8260 TPH-g (HC1)		EPA 8015 TPH-d/o		Total Number of Containers		Preservation Codes: A - HCL M - Hexane B - NaOH N - None C - Zn Acetate O - AsNaO2 D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2SO3 F - MeOH R - Na2S2O3 G - Amchlor S - H2SO4 H - Ascorbic Acid T - TSP Dodecahydrate I - Ice U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4-5 L - EDA Z - other (specify)							
City: Honolulu		TAT Requested (days):																			
State, Zip: Hawaii 96813		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No																			
Phone: 808-521-3051 (direct: 808-529-7283) (alternate: 808-356-5373)		PO #:																			
Email: alethea.ramos@aecom.com (alternate: margie.pascua@aecom.com)		WO #:																			
Project Name: CV22F0106		Project #: 60674414		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		EPA 8260 TPH-g (HC1)		EPA 8015 TPH-d/o		Total Number of Containers									
Site: RHSF		SSOW#:																			
Sample Identification		Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		EPA 8260 TPH-g (HC1)		EPA 8015 TPH-d/o		Total Number of Containers		Special Instructions/Note:	
220109-BI-2T-03		01/09/2022		1920		G		W		X		X		A		I		5			

Login Sample Receipt Checklist

Client: AECOM

Job Number: 580-109169-1

Login Number: 109169

List Source: Eurofins Seattle

List Number: 1

Creator: Blankinship, Tom X

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



ANALYTICAL REPORT

Eurofins Seattle
5755 8th Street East
Tacoma, WA 98424
Tel: (253)922-2310

Laboratory Job ID: 580-109117-6
Client Project/Site: Red Hill Drinking Water

For:
AECOM
1001 Bishop Street
Honolulu, Hawaii 96813

Attn: Margie F Pascua



Authorized for release by:
1/12/2022 6:08:12 PM
Kristine Allen, Client Service Manager
(253)248-4970
Kristine.Allen@Eurofinset.com

Designee for
Elaine Walker, Project Manager II
(253)248-4972
m.elaine.walker@eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions	5
Client Sample Results	6
QC Sample Results	9
Chronicle	18
Certification Summary	19
Sample Summary	20
Chain of Custody	21
Receipt Checklists	22

Case Narrative

Client: AECOM
Project/Site: Red Hill Drinking Water

Job ID: 580-109117-6

Job ID: 580-109117-6

Laboratory: Eurofins Seattle

Narrative

Job Narrative 580-109117-6

Comments

No additional comments.

Receipt

The samples were received on 1/10/2022 9:15 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.9° C.

GC/MS VOA

Method 8260D: Surrogate recovery for the following samples was outside control limits for Toluene-d8: 20220108-C3-ZT02 (580-109117-7). Evidence of matrix interference is present; therefore, re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC/MS Semi VOA

Method 8270E: The following analytes have been identified, in the reference method and/or via historical data, to be poor and/or erratic performers: Hexachlorocyclopentadiene. These analytes may have a %D >60%.

Method 8270E: The laboratory control sample and/or the laboratory control sample duplicate (LCS/LCSD) for preparation batch 580-377974 and analytical batch 580-377989 recovered outside control limits for the following analytes: Hexachlorocyclopentadiene. Hexachlorocyclopentadiene has been identified as a poor performing analyte when analyzed using this method; therefore, re-extraction/re-analysis was not performed. These results have been reported and qualified.

Method 8270E: The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for preparation batch 580-377974 and analytical batch 580-377989 recovered outside control limits for the following analytes: Diethyl phthalate, Fluoranthene, Benzo[b]fluoranthene and Pyrene. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Method 8270E: Surrogate 2-Fluorophenol (Surr) and Phenol-d5 (Surr) recovery for the following samples was outside control limits: 20220108-C3-ZT02 (580-109117-7). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8270E: The minimum response factor (RF) criteria for the continuing calibration verification (CCV) analyzed in batch 580-377989 was outside criteria for the following analytes: N-Nitrosodi-n-propylamine. As indicated in the reference method, sample analysis may proceed; however, any detection or non-detection for the affected analytes is considered estimated.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC Semi VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep

Methods 3510C, CWA_Prep: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with preparation batch 580-377974. Laboratory control sample/laboratory control sample duplicate were created and substituted for MS/MSD/DUP.

Method 3510C: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with preparation batch 580-377984. Laboratory control sample/laboratory control sample duplicate were created and substituted for MS/MSD/DUP.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOA Prep

Case Narrative

Client: AECOM
Project/Site: Red Hill Drinking Water

Job ID: 580-109117-6

Job ID: 580-109117-6 (Continued)

Laboratory: Eurofins Seattle (Continued)

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

1

2

3

4

5

6

7

8

9

10

11

Definitions/Glossary

Client: AECOM
Project/Site: Red Hill Drinking Water

Job ID: 580-109117-6

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
S1-	Surrogate recovery exceeds control limits, low biased.
U	Indicates the analyte was analyzed for but not detected.

GC/MS Semi VOA

Qualifier	Qualifier Description
*-	LCS and/or LCSD is outside acceptance limits, low biased.
*+	LCS and/or LCSD is outside acceptance limits, high biased.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1-	Surrogate recovery exceeds control limits, low biased.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Client Sample Results

Client: AECOM
Project/Site: Red Hill Drinking Water

Job ID: 580-109117-6

Client Sample ID: 20220108-C3-ZT02

Lab Sample ID: 580-109117-7

Date Collected: 01/08/22 14:48

Matrix: Water

Date Received: 01/10/22 09:15

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C6-C12)	31	U	100	31	ug/L			01/11/22 16:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		78 - 120					01/11/22 16:45	1

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	3.2	U	15	3.2	ug/L			01/11/22 16:45	1
Benzene	0.24	U	1.0	0.24	ug/L			01/11/22 16:45	1
Bromodichloromethane	0.29	U	1.0	0.29	ug/L			01/11/22 16:45	1
Bromoform	0.51	U	1.0	0.51	ug/L			01/11/22 16:45	1
Bromomethane	0.21	U	1.0	0.21	ug/L			01/11/22 16:45	1
Carbon disulfide	0.53	U	1.0	0.53	ug/L			01/11/22 16:45	1
Carbon tetrachloride	0.30	U	1.0	0.30	ug/L			01/11/22 16:45	1
Chlorobenzene	0.44	U	1.0	0.44	ug/L			01/11/22 16:45	1
Chloroform	0.26	U	1.0	0.26	ug/L			01/11/22 16:45	1
Chloromethane	0.28	U	1.0	0.28	ug/L			01/11/22 16:45	1
cis-1,2-Dichloroethene	0.35	U	1.0	0.35	ug/L			01/11/22 16:45	1
cis-1,3-Dichloropropene	0.20	U	1.0	0.20	ug/L			01/11/22 16:45	1
Dibromochloromethane	0.43	U	1.0	0.43	ug/L			01/11/22 16:45	1
1,1-Dichloroethane	0.22	U	1.0	0.22	ug/L			01/11/22 16:45	1
1,2-Dichloroethane	0.42	U	1.0	0.42	ug/L			01/11/22 16:45	1
1,1-Dichloroethene	0.28	U	1.0	0.28	ug/L			01/11/22 16:45	1
1,2-Dichloroethene, Total	0.39	U	1.0	0.39	ug/L			01/11/22 16:45	1
Dichloromethane	1.4	U	3.0	1.4	ug/L			01/11/22 16:45	1
1,2-Dichloropropane	0.18	U	1.0	0.18	ug/L			01/11/22 16:45	1
Ethylbenzene	0.50	U	1.0	0.50	ug/L			01/11/22 16:45	1
Ethyl Chloride	0.35	U	1.0	0.35	ug/L			01/11/22 16:45	1
2-Hexanone	4.0	U	15	4.0	ug/L			01/11/22 16:45	1
Methyl Ethyl Ketone	4.7	U	15	4.7	ug/L			01/11/22 16:45	1
Methyl isobutyl ketone (MIBK)	2.5	U	5.0	2.5	ug/L			01/11/22 16:45	1
m-Xylene & p-Xylene	0.53	U	2.0	0.53	ug/L			01/11/22 16:45	1
o-Xylene	0.39	U	1.0	0.39	ug/L			01/11/22 16:45	1
Styrene	0.53	U	1.0	0.53	ug/L			01/11/22 16:45	1
1,1,2,2-Tetrachloroethane	0.52	U	1.0	0.52	ug/L			01/11/22 16:45	1
Tetrachloroethene	0.41	U	1.0	0.41	ug/L			01/11/22 16:45	1
Toluene	0.39	U	1.0	0.39	ug/L			01/11/22 16:45	1
trans-1,2-Dichloroethene	0.39	U	1.0	0.39	ug/L			01/11/22 16:45	1
trans-1,3-Dichloropropene	0.41	U	1.0	0.41	ug/L			01/11/22 16:45	1
1,1,1-Trichloroethane	0.39	U	1.0	0.39	ug/L			01/11/22 16:45	1
1,1,2-Trichloroethane	0.24	U	1.0	0.24	ug/L			01/11/22 16:45	1
Trichloroethene	0.26	U	1.0	0.26	ug/L			01/11/22 16:45	1
Vinyl chloride	0.22	U	1.0	0.22	ug/L			01/11/22 16:45	1
Xylenes, Total	0.53	U	2.0	0.53	ug/L			01/11/22 16:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		80 - 120					01/11/22 16:45	1
Dibromofluoromethane (Surr)	103		80 - 120					01/11/22 16:45	1
1,2-Dichloroethane-d4 (Surr)	101		80 - 120					01/11/22 16:45	1
Toluene-d8 (Surr)	0.3	S1-	80 - 120					01/11/22 16:45	1

Client Sample Results

Client: AECOM
Project/Site: Red Hill Drinking Water

Job ID: 580-109117-6

Client Sample ID: 20220108-C3-ZT02

Lab Sample ID: 580-109117-7

Date Collected: 01/08/22 14:48

Matrix: Water

Date Received: 01/10/22 09:15

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.047	U	0.38	0.047	ug/L		01/10/22 19:30	01/11/22 19:13	1
Acenaphthylene	0.057	U	0.94	0.057	ug/L		01/10/22 19:30	01/11/22 19:13	1
Anthracene	0.047	U	0.94	0.047	ug/L		01/10/22 19:30	01/11/22 19:13	1
Benzo[a]anthracene	0.047	U	0.24	0.047	ug/L		01/10/22 19:30	01/11/22 19:13	1
Benzo[a]pyrene	0.038	U	0.24	0.038	ug/L		01/10/22 19:30	01/11/22 19:13	1
Benzo[b]fluoranthene	0.038	U **	0.24	0.038	ug/L		01/10/22 19:30	01/11/22 19:13	1
Benzo[g,h,i]perylene	0.038	U	0.24	0.038	ug/L		01/10/22 19:30	01/11/22 19:13	1
Benzo[k]fluoranthene	0.047	U	0.24	0.047	ug/L		01/10/22 19:30	01/11/22 19:13	1
Bis(2-chloroethoxy)methane	0.047	U	0.57	0.047	ug/L		01/10/22 19:30	01/11/22 19:13	1
Bis(2-chloroethyl)ether	0.028	U	0.094	0.028	ug/L		01/10/22 19:30	01/11/22 19:13	1
Bis(2-ethylhexyl) phthalate	0.70	U	2.8	0.70	ug/L		01/10/22 19:30	01/11/22 19:13	1
4-Bromophenyl phenyl ether	0.057	U	0.57	0.057	ug/L		01/10/22 19:30	01/11/22 19:13	1
Butyl benzyl phthalate	0.25	U	3.8	0.25	ug/L		01/10/22 19:30	01/11/22 19:13	1
Carbazole	0.094	U	0.57	0.094	ug/L		01/10/22 19:30	01/11/22 19:13	1
4-Chloroaniline	0.56	U	1.9	0.56	ug/L		01/10/22 19:30	01/11/22 19:13	1
4-Chloro-3-methylphenol	0.12	U	0.57	0.12	ug/L		01/10/22 19:30	01/11/22 19:13	1
2-Chloronaphthalene	0.066	U	0.94	0.066	ug/L		01/10/22 19:30	01/11/22 19:13	1
2-Chlorophenol	0.047	U	0.94	0.047	ug/L		01/10/22 19:30	01/11/22 19:13	1
4-Chlorophenyl phenyl ether	0.047	U	0.57	0.047	ug/L		01/10/22 19:30	01/11/22 19:13	1
Chrysene	0.038	U	0.24	0.038	ug/L		01/10/22 19:30	01/11/22 19:13	1
Dibenz(a,h)anthracene	0.066	U	0.24	0.066	ug/L		01/10/22 19:30	01/11/22 19:13	1
Dibenzofuran	0.094	U	0.38	0.094	ug/L		01/10/22 19:30	01/11/22 19:13	1
1,2-Dichlorobenzene	0.047	U	0.38	0.047	ug/L		01/10/22 19:30	01/11/22 19:13	1
1,3-Dichlorobenzene	0.038	U	0.38	0.038	ug/L		01/10/22 19:30	01/11/22 19:13	1
1,4-Dichlorobenzene	0.038	U	0.38	0.038	ug/L		01/10/22 19:30	01/11/22 19:13	1
3,3'-Dichlorobenzidine	0.25	U	0.94	0.25	ug/L		01/10/22 19:30	01/11/22 19:13	1
2,4-Dichlorophenol	0.19	U	0.94	0.19	ug/L		01/10/22 19:30	01/11/22 19:13	1
Diethyl phthalate	0.14	U **	0.94	0.14	ug/L		01/10/22 19:30	01/11/22 19:13	1
2,4-Dimethylphenol	0.15	U	3.8	0.15	ug/L		01/10/22 19:30	01/11/22 19:13	1
Dimethyl phthalate	0.057	U	0.57	0.057	ug/L		01/10/22 19:30	01/11/22 19:13	1
Di-n-butyl phthalate	0.18	U	2.8	0.18	ug/L		01/10/22 19:30	01/11/22 19:13	1
4,6-Dinitro-2-methylphenol	0.52	U	1.9	0.52	ug/L		01/10/22 19:30	01/11/22 19:13	1
2,4-Dinitrophenol	1.5	U	4.7	1.5	ug/L		01/10/22 19:30	01/11/22 19:13	1
2,4-Dinitrotoluene	0.094	U	0.94	0.094	ug/L		01/10/22 19:30	01/11/22 19:13	1
2,6-Dinitrotoluene	0.094	U	0.38	0.094	ug/L		01/10/22 19:30	01/11/22 19:13	1
Di-n-octyl phthalate	0.12	U	0.94	0.12	ug/L		01/10/22 19:30	01/11/22 19:13	1
Fluoranthene	0.057	U **	0.24	0.057	ug/L		01/10/22 19:30	01/11/22 19:13	1
Fluorene	0.047	U	0.24	0.047	ug/L		01/10/22 19:30	01/11/22 19:13	1
Hexachlorobenzene	0.038	U	0.57	0.038	ug/L		01/10/22 19:30	01/11/22 19:13	1
Hexachlorobutadiene	0.057	U	0.94	0.057	ug/L		01/10/22 19:30	01/11/22 19:13	1
Hexachlorocyclopentadiene	0.13	U *	0.94	0.13	ug/L		01/10/22 19:30	01/11/22 19:13	1
Hexachloroethane	0.047	U	0.94	0.047	ug/L		01/10/22 19:30	01/11/22 19:13	1
Indeno[1,2,3-cd]pyrene	0.12	U	0.38	0.12	ug/L		01/10/22 19:30	01/11/22 19:13	1
Isophorone	0.094	U	0.38	0.094	ug/L		01/10/22 19:30	01/11/22 19:13	1
2-Methylphenol	0.047	U	0.57	0.047	ug/L		01/10/22 19:30	01/11/22 19:13	1
3 & 4 Methylphenol	0.094	U	0.57	0.094	ug/L		01/10/22 19:30	01/11/22 19:13	1
Naphthalene	0.15	U	0.38	0.15	ug/L		01/10/22 19:30	01/11/22 19:13	1
2-Nitroaniline	0.094	U	0.94	0.094	ug/L		01/10/22 19:30	01/11/22 19:13	1
3-Nitroaniline	0.15	U	2.8	0.15	ug/L		01/10/22 19:30	01/11/22 19:13	1

Eurofins Seattle

Client Sample Results

Client: AECOM
Project/Site: Red Hill Drinking Water

Job ID: 580-109117-6

Client Sample ID: 20220108-C3-ZT02

Lab Sample ID: 580-109117-7

Date Collected: 01/08/22 14:48

Matrix: Water

Date Received: 01/10/22 09:15

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4-Nitroaniline	0.20	U	1.9	0.20	ug/L		01/10/22 19:30	01/11/22 19:13	1
Nitrobenzene	0.038	U	0.94	0.038	ug/L		01/10/22 19:30	01/11/22 19:13	1
4-Nitrophenol	1.6	U	9.4	1.6	ug/L		01/10/22 19:30	01/11/22 19:13	1
N-Nitrosodi-n-propylamine	0.057	U	0.38	0.057	ug/L		01/10/22 19:30	01/11/22 19:13	1
N-Nitrosodiphenylamine	0.066	U	0.94	0.066	ug/L		01/10/22 19:30	01/11/22 19:13	1
Pentachlorophenol	0.48	U	9.4	0.48	ug/L		01/10/22 19:30	01/11/22 19:13	1
Phenanthrene	0.11	U	0.94	0.11	ug/L		01/10/22 19:30	01/11/22 19:13	1
Phenol	0.34	U	0.94	0.34	ug/L		01/10/22 19:30	01/11/22 19:13	1
Pyrene	0.038	U *	0.94	0.038	ug/L		01/10/22 19:30	01/11/22 19:13	1
1,2,4-Trichlorobenzene	0.085	U	0.38	0.085	ug/L		01/10/22 19:30	01/11/22 19:13	1
2,4,5-Trichlorophenol	0.094	U	0.38	0.094	ug/L		01/10/22 19:30	01/11/22 19:13	1
2,4,6-Trichlorophenol	0.094	U	0.57	0.094	ug/L		01/10/22 19:30	01/11/22 19:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	59		35 - 120	01/10/22 19:30	01/11/22 19:13	1
2-Fluorophenol (Surr)	26		21 - 120	01/10/22 19:30	01/11/22 19:13	1
Nitrobenzene-d5 (Surr)	64		39 - 120	01/10/22 19:30	01/11/22 19:13	1
Phenol-d5 (Surr)	8	S1-	10 - 120	01/10/22 19:30	01/11/22 19:13	1
Terphenyl-d14	107		63 - 137	01/10/22 19:30	01/11/22 19:13	1
2,4,6-Tribromophenol	90		50 - 130	01/10/22 19:30	01/11/22 19:13	1

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C9-C25	45	U	55	45	ug/L		01/11/22 09:52	01/11/22 23:21	1
C24-C40	90	U	170	90	ug/L		01/11/22 09:52	01/11/22 23:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	75		53 - 120	01/11/22 09:52	01/11/22 23:21	1

QC Sample Results

Client: AECOM
Project/Site: Red Hill Drinking Water

Job ID: 580-109117-6

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 580-378017/5
Matrix: Water
Analysis Batch: 378017

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C6-C12)	31	U	100	31	ug/L			01/11/22 08:00	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		78 - 120					01/11/22 08:00	1

Lab Sample ID: LCS 580-378017/8
Matrix: Water
Analysis Batch: 378017

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (C6-C12)	1000	1020		ug/L		102	75 - 127
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	102		78 - 120				

Lab Sample ID: LCSD 580-378017/9
Matrix: Water
Analysis Batch: 378017

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (C6-C12)	1000	1030		ug/L		103	75 - 127	0	13
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene (Surr)	100		78 - 120						

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 580-378016/5
Matrix: Water
Analysis Batch: 378016

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	3.2	U	15	3.2	ug/L			01/11/22 08:00	1
Benzene	0.24	U	1.0	0.24	ug/L			01/11/22 08:00	1
Bromodichloromethane	0.29	U	1.0	0.29	ug/L			01/11/22 08:00	1
Bromoform	0.51	U	1.0	0.51	ug/L			01/11/22 08:00	1
Bromomethane	0.21	U	1.0	0.21	ug/L			01/11/22 08:00	1
Carbon disulfide	0.53	U	1.0	0.53	ug/L			01/11/22 08:00	1
Carbon tetrachloride	0.30	U	1.0	0.30	ug/L			01/11/22 08:00	1
Chlorobenzene	0.44	U	1.0	0.44	ug/L			01/11/22 08:00	1
Chloroform	0.26	U	1.0	0.26	ug/L			01/11/22 08:00	1
Chloromethane	0.28	U	1.0	0.28	ug/L			01/11/22 08:00	1
cis-1,2-Dichloroethene	0.35	U	1.0	0.35	ug/L			01/11/22 08:00	1
cis-1,3-Dichloropropene	0.20	U	1.0	0.20	ug/L			01/11/22 08:00	1
Dibromochloromethane	0.43	U	1.0	0.43	ug/L			01/11/22 08:00	1
1,1-Dichloroethane	0.22	U	1.0	0.22	ug/L			01/11/22 08:00	1

Eurofins Seattle

QC Sample Results

Client: AECOM
Project/Site: Red Hill Drinking Water

Job ID: 580-109117-6

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 580-378016/5

Matrix: Water

Analysis Batch: 378016

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,2-Dichloroethane	0.42	U	1.0	0.42	ug/L			01/11/22 08:00	1
1,1-Dichloroethene	0.28	U	1.0	0.28	ug/L			01/11/22 08:00	1
1,2-Dichloroethene, Total	0.39	U	1.0	0.39	ug/L			01/11/22 08:00	1
Dichloromethane	1.4	U	3.0	1.4	ug/L			01/11/22 08:00	1
1,2-Dichloropropane	0.18	U	1.0	0.18	ug/L			01/11/22 08:00	1
Ethylbenzene	0.50	U	1.0	0.50	ug/L			01/11/22 08:00	1
Ethyl Chloride	0.35	U	1.0	0.35	ug/L			01/11/22 08:00	1
2-Hexanone	4.0	U	15	4.0	ug/L			01/11/22 08:00	1
Methyl Ethyl Ketone	4.7	U	15	4.7	ug/L			01/11/22 08:00	1
Methyl isobutyl ketone (MIBK)	2.5	U	5.0	2.5	ug/L			01/11/22 08:00	1
m-Xylene & p-Xylene	0.53	U	2.0	0.53	ug/L			01/11/22 08:00	1
o-Xylene	0.39	U	1.0	0.39	ug/L			01/11/22 08:00	1
Styrene	0.53	U	1.0	0.53	ug/L			01/11/22 08:00	1
1,1,1,2-Tetrachloroethane	0.52	U	1.0	0.52	ug/L			01/11/22 08:00	1
Tetrachloroethene	0.41	U	1.0	0.41	ug/L			01/11/22 08:00	1
Toluene	0.39	U	1.0	0.39	ug/L			01/11/22 08:00	1
trans-1,2-Dichloroethene	0.39	U	1.0	0.39	ug/L			01/11/22 08:00	1
trans-1,3-Dichloropropene	0.41	U	1.0	0.41	ug/L			01/11/22 08:00	1
1,1,1-Trichloroethane	0.39	U	1.0	0.39	ug/L			01/11/22 08:00	1
1,1,2-Trichloroethane	0.24	U	1.0	0.24	ug/L			01/11/22 08:00	1
Trichloroethene	0.26	U	1.0	0.26	ug/L			01/11/22 08:00	1
Vinyl chloride	0.22	U	1.0	0.22	ug/L			01/11/22 08:00	1
Xylenes, Total	0.53	U	2.0	0.53	ug/L			01/11/22 08:00	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	97		80 - 120		01/11/22 08:00	1
Dibromofluoromethane (Surr)	100		80 - 120		01/11/22 08:00	1
1,2-Dichloroethane-d4 (Surr)	100		80 - 120		01/11/22 08:00	1
Toluene-d8 (Surr)	98		80 - 120		01/11/22 08:00	1

Lab Sample ID: LCS 580-378016/6

Matrix: Water

Analysis Batch: 378016

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	10.0	10.5		ug/L		105	80 - 122
Bromodichloromethane	10.0	9.89		ug/L		99	75 - 124
Bromoform	10.0	9.15		ug/L		92	56 - 139
Bromomethane	10.0	8.89		ug/L		89	36 - 150
Carbon disulfide	10.0	9.71		ug/L		97	63 - 134
Carbon tetrachloride	10.0	10.2		ug/L		102	72 - 129
Chlorobenzene	10.0	9.93		ug/L		99	80 - 120
Chloroform	10.0	10.6		ug/L		106	78 - 127
Chloromethane	10.0	8.23		ug/L		82	25 - 150
cis-1,2-Dichloroethene	10.0	10.3		ug/L		103	76 - 120
cis-1,3-Dichloropropene	10.0	9.56		ug/L		96	77 - 120
Dibromochloromethane	10.0	9.35		ug/L		93	73 - 125

Eurofins Seattle

QC Sample Results

Client: AECOM
Project/Site: Red Hill Drinking Water

Job ID: 580-109117-6

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 580-378016/6

Matrix: Water

Analysis Batch: 378016

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
1,1-Dichloroethane	10.0	10.7		ug/L		107	80 - 120
1,2-Dichloroethane	10.0	10.3		ug/L		103	69 - 126
1,1-Dichloroethene	10.0	10.7		ug/L		107	70 - 129
1,2-Dichloroethene, Total	20.0	20.7		ug/L		104	76 - 129
Dichloromethane	10.0	10.5		ug/L		105	77 - 125
1,2-Dichloropropane	10.0	10.0		ug/L		100	80 - 120
Ethylbenzene	10.0	9.88		ug/L		99	80 - 120
Ethyl Chloride	10.0	8.55		ug/L		86	38 - 150
2-Hexanone	50.0	44.9		ug/L		90	65 - 144
Methyl Ethyl Ketone	50.0	47.3		ug/L		95	65 - 137
Methyl isobutyl ketone (MIBK)	50.0	44.4		ug/L		89	59 - 141
m-Xylene & p-Xylene	10.0	9.85		ug/L		98	80 - 120
o-Xylene	10.0	9.76		ug/L		98	80 - 120
Styrene	10.0	9.77		ug/L		98	76 - 122
1,1,2,2-Tetrachloroethane	10.0	8.25		ug/L		83	74 - 124
Tetrachloroethene	10.0	10.2		ug/L		102	76 - 125
Toluene	10.0	9.94		ug/L		99	80 - 120
trans-1,2-Dichloroethene	10.0	10.4		ug/L		104	75 - 120
trans-1,3-Dichloropropene	10.0	9.10		ug/L		91	76 - 122
1,1,1-Trichloroethane	10.0	10.6		ug/L		106	74 - 130
1,1,2-Trichloroethane	10.0	9.41		ug/L		94	80 - 121
Trichloroethene	10.0	11.1		ug/L		111	80 - 125
Vinyl chloride	10.0	8.65		ug/L		87	31 - 150
Xylenes, Total	20.0	19.6		ug/L		98	80 - 120

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	102		80 - 120
Dibromofluoromethane (Surr)	99		80 - 120
1,2-Dichloroethane-d4 (Surr)	100		80 - 120
Toluene-d8 (Surr)	99		80 - 120

Lab Sample ID: LCSD 580-378016/7

Matrix: Water

Analysis Batch: 378016

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD	LCSD	Unit	D	%Rec	%Rec. Limits	RPD	
		Result	Qualifier					RPD	Limit
Acetone	50.0	46.6		ug/L		93	44 - 150	5	33
Benzene	10.0	10.1		ug/L		101	80 - 122	4	14
Bromodichloromethane	10.0	9.76		ug/L		98	75 - 124	1	13
Bromoform	10.0	9.28		ug/L		93	56 - 139	1	21
Bromomethane	10.0	10.7		ug/L		107	36 - 150	18	33
Carbon disulfide	10.0	8.90		ug/L		89	63 - 134	9	24
Carbon tetrachloride	10.0	9.77		ug/L		98	72 - 129	4	19
Chlorobenzene	10.0	9.91		ug/L		99	80 - 120	0	10
Chloroform	10.0	10.6		ug/L		106	78 - 127	0	14
Chloromethane	10.0	8.62		ug/L		86	25 - 150	5	26
cis-1,2-Dichloroethene	10.0	10.1		ug/L		101	76 - 120	2	20
cis-1,3-Dichloropropene	10.0	8.99		ug/L		90	77 - 120	6	35

Eurofins Seattle

QC Sample Results

Client: AECOM
Project/Site: Red Hill Drinking Water

Job ID: 580-109117-6

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 580-378016/7

Matrix: Water

Analysis Batch: 378016

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD	LCSD	Unit	D	%Rec	%Rec.	RPD	RPD
		Result	Qualifier				Limits		Limit
Dibromochloromethane	10.0	9.63		ug/L		96	73 - 125	3	13
1,1-Dichloroethane	10.0	10.4		ug/L		104	80 - 120	2	15
1,2-Dichloroethane	10.0	10.2		ug/L		102	69 - 126	0	11
1,1-Dichloroethene	10.0	10.2		ug/L		102	70 - 129	5	23
1,2-Dichloroethene, Total	20.0	20.1		ug/L		100	76 - 129	3	21
Dichloromethane	10.0	11.2		ug/L		112	77 - 125	6	18
1,2-Dichloropropane	10.0	9.95		ug/L		100	80 - 120	1	14
Ethylbenzene	10.0	9.60		ug/L		96	80 - 120	3	14
Ethyl Chloride	10.0	8.90		ug/L		89	38 - 150	4	28
2-Hexanone	50.0	43.6		ug/L		87	65 - 144	3	26
Methyl Ethyl Ketone	50.0	48.6		ug/L		97	65 - 137	3	34
Methyl isobutyl ketone (MIBK)	50.0	44.2		ug/L		88	59 - 141	1	22
m-Xylene & p-Xylene	10.0	9.77		ug/L		98	80 - 120	1	14
o-Xylene	10.0	9.59		ug/L		96	80 - 120	2	16
Styrene	10.0	9.72		ug/L		97	76 - 122	0	16
1,1,2,2-Tetrachloroethane	10.0	8.33		ug/L		83	74 - 124	1	25
Tetrachloroethene	10.0	9.43		ug/L		94	76 - 125	8	13
Toluene	10.0	9.71		ug/L		97	80 - 120	2	13
trans-1,2-Dichloroethene	10.0	9.97		ug/L		100	75 - 120	4	21
trans-1,3-Dichloropropene	10.0	8.72		ug/L		87	76 - 122	4	20
1,1,1-Trichloroethane	10.0	9.53		ug/L		95	74 - 130	11	19
1,1,2-Trichloroethane	10.0	9.65		ug/L		97	80 - 121	3	14
Trichloroethene	10.0	10.9		ug/L		109	80 - 125	2	13
Vinyl chloride	10.0	10.1		ug/L		101	31 - 150	16	26
Xylenes, Total	20.0	19.4		ug/L		97	80 - 120	1	16

Surrogate	LCSD	LCSD	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	105		80 - 120
Dibromofluoromethane (Surr)	100		80 - 120
1,2-Dichloroethane-d4 (Surr)	98		80 - 120
Toluene-d8 (Surr)	96		80 - 120

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 580-377974/1-A

Matrix: Water

Analysis Batch: 377989

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 377974

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Acenaphthene	0.050	U	0.40	0.050	ug/L		01/10/22 19:30	01/11/22 16:31	1
Acenaphthylene	0.060	U	1.0	0.060	ug/L		01/10/22 19:30	01/11/22 16:31	1
Anthracene	0.050	U	1.0	0.050	ug/L		01/10/22 19:30	01/11/22 16:31	1
Benzo[a]anthracene	0.050	U	0.25	0.050	ug/L		01/10/22 19:30	01/11/22 16:31	1
Benzo[a]pyrene	0.040	U	0.25	0.040	ug/L		01/10/22 19:30	01/11/22 16:31	1
Benzo[b]fluoranthene	0.040	U	0.25	0.040	ug/L		01/10/22 19:30	01/11/22 16:31	1
Benzo[g,h,i]perylene	0.040	U	0.25	0.040	ug/L		01/10/22 19:30	01/11/22 16:31	1
Benzo[k]fluoranthene	0.050	U	0.25	0.050	ug/L		01/10/22 19:30	01/11/22 16:31	1
Bis(2-chloroethoxy)methane	0.050	U	0.60	0.050	ug/L		01/10/22 19:30	01/11/22 16:31	1
Bis(2-chloroethyl)ether	0.030	U	0.10	0.030	ug/L		01/10/22 19:30	01/11/22 16:31	1

Eurofins Seattle

QC Sample Results

Client: AECOM
Project/Site: Red Hill Drinking Water

Job ID: 580-109117-6

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 580-377974/1-A

Matrix: Water

Analysis Batch: 377989

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 377974

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Bis(2-ethylhexyl) phthalate	0.74	U	3.0	0.74	ug/L		01/10/22 19:30	01/11/22 16:31	1
4-Bromophenyl phenyl ether	0.060	U	0.60	0.060	ug/L		01/10/22 19:30	01/11/22 16:31	1
Butyl benzyl phthalate	0.27	U	4.0	0.27	ug/L		01/10/22 19:30	01/11/22 16:31	1
Carbazole	0.10	U	0.60	0.10	ug/L		01/10/22 19:30	01/11/22 16:31	1
4-Chloroaniline	0.59	U	2.0	0.59	ug/L		01/10/22 19:30	01/11/22 16:31	1
4-Chloro-3-methylphenol	0.13	U	0.60	0.13	ug/L		01/10/22 19:30	01/11/22 16:31	1
2-Chloronaphthalene	0.070	U	1.0	0.070	ug/L		01/10/22 19:30	01/11/22 16:31	1
2-Chlorophenol	0.050	U	1.0	0.050	ug/L		01/10/22 19:30	01/11/22 16:31	1
4-Chlorophenyl phenyl ether	0.050	U	0.60	0.050	ug/L		01/10/22 19:30	01/11/22 16:31	1
Chrysene	0.040	U	0.25	0.040	ug/L		01/10/22 19:30	01/11/22 16:31	1
Dibenz(a,h)anthracene	0.070	U	0.25	0.070	ug/L		01/10/22 19:30	01/11/22 16:31	1
Dibenzofuran	0.10	U	0.40	0.10	ug/L		01/10/22 19:30	01/11/22 16:31	1
1,2-Dichlorobenzene	0.050	U	0.40	0.050	ug/L		01/10/22 19:30	01/11/22 16:31	1
1,3-Dichlorobenzene	0.040	U	0.40	0.040	ug/L		01/10/22 19:30	01/11/22 16:31	1
1,4-Dichlorobenzene	0.040	U	0.40	0.040	ug/L		01/10/22 19:30	01/11/22 16:31	1
3,3'-Dichlorobenzidine	0.26	U	1.0	0.26	ug/L		01/10/22 19:30	01/11/22 16:31	1
2,4-Dichlorophenol	0.20	U	1.0	0.20	ug/L		01/10/22 19:30	01/11/22 16:31	1
Diethyl phthalate	0.15	U	1.0	0.15	ug/L		01/10/22 19:30	01/11/22 16:31	1
2,4-Dimethylphenol	0.16	U	4.0	0.16	ug/L		01/10/22 19:30	01/11/22 16:31	1
Dimethyl phthalate	0.060	U	0.60	0.060	ug/L		01/10/22 19:30	01/11/22 16:31	1
Di-n-butyl phthalate	0.19	U	3.0	0.19	ug/L		01/10/22 19:30	01/11/22 16:31	1
4,6-Dinitro-2-methylphenol	0.55	U	2.0	0.55	ug/L		01/10/22 19:30	01/11/22 16:31	1
2,4-Dinitrophenol	1.6	U	5.0	1.6	ug/L		01/10/22 19:30	01/11/22 16:31	1
2,4-Dinitrotoluene	0.10	U	1.0	0.10	ug/L		01/10/22 19:30	01/11/22 16:31	1
2,6-Dinitrotoluene	0.10	U	0.40	0.10	ug/L		01/10/22 19:30	01/11/22 16:31	1
Di-n-octyl phthalate	0.13	U	1.0	0.13	ug/L		01/10/22 19:30	01/11/22 16:31	1
Fluoranthene	0.060	U	0.25	0.060	ug/L		01/10/22 19:30	01/11/22 16:31	1
Fluorene	0.050	U	0.25	0.050	ug/L		01/10/22 19:30	01/11/22 16:31	1
Hexachlorobenzene	0.040	U	0.60	0.040	ug/L		01/10/22 19:30	01/11/22 16:31	1
Hexachlorobutadiene	0.060	U	1.0	0.060	ug/L		01/10/22 19:30	01/11/22 16:31	1
Hexachlorocyclopentadiene	0.14	U	1.0	0.14	ug/L		01/10/22 19:30	01/11/22 16:31	1
Hexachloroethane	0.050	U	1.0	0.050	ug/L		01/10/22 19:30	01/11/22 16:31	1
Indeno[1,2,3-cd]pyrene	0.13	U	0.40	0.13	ug/L		01/10/22 19:30	01/11/22 16:31	1
Isophorone	0.10	U	0.40	0.10	ug/L		01/10/22 19:30	01/11/22 16:31	1
2-Methylphenol	0.050	U	0.60	0.050	ug/L		01/10/22 19:30	01/11/22 16:31	1
3 & 4 Methylphenol	0.10	U	0.60	0.10	ug/L		01/10/22 19:30	01/11/22 16:31	1
Naphthalene	0.16	U	0.40	0.16	ug/L		01/10/22 19:30	01/11/22 16:31	1
2-Nitroaniline	0.10	U	1.0	0.10	ug/L		01/10/22 19:30	01/11/22 16:31	1
3-Nitroaniline	0.16	U	3.0	0.16	ug/L		01/10/22 19:30	01/11/22 16:31	1
4-Nitroaniline	0.21	U	2.0	0.21	ug/L		01/10/22 19:30	01/11/22 16:31	1
Nitrobenzene	0.040	U	1.0	0.040	ug/L		01/10/22 19:30	01/11/22 16:31	1
4-Nitrophenol	1.7	U	10	1.7	ug/L		01/10/22 19:30	01/11/22 16:31	1
N-Nitrosodi-n-propylamine	0.060	U	0.40	0.060	ug/L		01/10/22 19:30	01/11/22 16:31	1
N-Nitrosodiphenylamine	0.070	U	1.0	0.070	ug/L		01/10/22 19:30	01/11/22 16:31	1
Pentachlorophenol	0.51	U	10	0.51	ug/L		01/10/22 19:30	01/11/22 16:31	1
Phenanthrene	0.12	U	1.0	0.12	ug/L		01/10/22 19:30	01/11/22 16:31	1
Phenol	0.36	U	1.0	0.36	ug/L		01/10/22 19:30	01/11/22 16:31	1
Pyrene	0.040	U	1.0	0.040	ug/L		01/10/22 19:30	01/11/22 16:31	1
1,2,4-Trichlorobenzene	0.090	U	0.40	0.090	ug/L		01/10/22 19:30	01/11/22 16:31	1

Eurofins Seattle

QC Sample Results

Client: AECOM
Project/Site: Red Hill Drinking Water

Job ID: 580-109117-6

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 580-377974/1-A

Matrix: Water

Analysis Batch: 377989

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 377974

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
2,4,5-Trichlorophenol	0.10	U	0.40	0.10	ug/L		01/10/22 19:30	01/11/22 16:31	1
2,4,6-Trichlorophenol	0.10	U	0.60	0.10	ug/L		01/10/22 19:30	01/11/22 16:31	1
Surrogate	MB	MB	Limits				Prepared	Analyzed	Dil Fac
%Recovery	Qualifier								
2-Fluorobiphenyl	92		35 - 120				01/10/22 19:30	01/11/22 16:31	1
2-Fluorophenol (Surr)	56		21 - 120				01/10/22 19:30	01/11/22 16:31	1
Nitrobenzene-d5 (Surr)	98		39 - 120				01/10/22 19:30	01/11/22 16:31	1
Phenol-d5 (Surr)	30		10 - 120				01/10/22 19:30	01/11/22 16:31	1
Terphenyl-d14	125		63 - 137				01/10/22 19:30	01/11/22 16:31	1
2,4,6-Tribromophenol	103		50 - 130				01/10/22 19:30	01/11/22 16:31	1

Lab Sample ID: LCS 580-377974/2-A

Matrix: Water

Analysis Batch: 377989

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 377974

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec.
		Result	Qualifier				
Acenaphthene	2.00	1.68		ug/L		84	41 - 120
Acenaphthylene	2.00	1.74		ug/L		87	43 - 120
Anthracene	2.00	1.99		ug/L		100	58 - 120
Benzo[a]anthracene	2.00	2.38		ug/L		119	48 - 131
Benzo[a]pyrene	2.00	2.22		ug/L		111	55 - 125
Benzo[b]fluoranthene	2.00	2.39		ug/L		120	54 - 124
Benzo[g,h,i]perylene	2.00	1.50		ug/L		75	46 - 124
Benzo[k]fluoranthene	2.00	2.10		ug/L		105	52 - 132
Bis(2-chloroethoxy)methane	2.00	1.89		ug/L		94	38 - 120
Bis(2-ethylhexyl) phthalate	2.00	2.54	J	ug/L		127	41 - 150
4-Bromophenyl phenyl ether	2.00	1.98		ug/L		99	53 - 120
Butyl benzyl phthalate	2.00	2.48	J	ug/L		124	40 - 150
Carbazole	2.00	2.28		ug/L		114	61 - 150
4-Chloroaniline	2.00	0.814	J	ug/L		41	10 - 150
4-Chloro-3-methylphenol	2.00	1.88		ug/L		94	36 - 120
2-Chloronaphthalene	2.00	1.77		ug/L		89	35 - 120
2-Chlorophenol	2.00	1.65		ug/L		82	44 - 120
4-Chlorophenyl phenyl ether	2.00	1.80		ug/L		90	41 - 120
Chrysene	2.00	2.22		ug/L		111	57 - 125
Dibenz(a,h)anthracene	2.00	1.54		ug/L		77	48 - 126
Dibenzofuran	2.00	1.75		ug/L		88	45 - 120
1,2-Dichlorobenzene	2.00	1.64		ug/L		82	20 - 120
1,3-Dichlorobenzene	2.00	1.68		ug/L		84	20 - 120
1,4-Dichlorobenzene	2.00	1.66		ug/L		83	20 - 120
3,3'-Dichlorobenzidine	4.00	4.08		ug/L		102	33 - 150
2,4-Dichlorophenol	2.00	1.76		ug/L		88	45 - 120
Diethyl phthalate	2.00	2.39		ug/L		119	60 - 121
2,4-Dimethylphenol	2.00	1.98	J	ug/L		99	37 - 120
Dimethyl phthalate	2.00	2.18		ug/L		109	54 - 120
Di-n-butyl phthalate	2.00	2.45	J	ug/L		123	55 - 150
4,6-Dinitro-2-methylphenol	4.00	2.58		ug/L		64	29 - 136
2,4-Dinitrophenol	4.00	1.91	J	ug/L		48	10 - 146

QC Sample Results

Client: AECOM
Project/Site: Red Hill Drinking Water

Job ID: 580-109117-6

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 580-377974/2-A

Matrix: Water

Analysis Batch: 377989

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 377974

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits	
2,4-Dinitrotoluene	2.00	2.14		ug/L		107	51 - 120	
2,6-Dinitrotoluene	2.00	1.89		ug/L		95	52 - 120	
Di-n-octyl phthalate	2.00	2.60		ug/L		130	48 - 140	
Fluoranthene	2.00	2.30		ug/L		115	60 - 121	
Fluorene	2.00	1.83		ug/L		91	20 - 120	
Hexachlorobenzene	2.00	1.95		ug/L		98	49 - 120	
Hexachlorobutadiene	2.00	1.68		ug/L		84	10 - 130	
Hexachlorocyclopentadiene	2.00	0.164	J *	ug/L		8	10 - 125	
Hexachloroethane	2.00	1.12		ug/L		56	10 - 130	
Indeno[1,2,3-cd]pyrene	2.00	1.70		ug/L		85	39 - 124	
Isophorone	2.00	1.85		ug/L		93	41 - 120	
2-Methylphenol	2.00	1.49		ug/L		75	30 - 120	
3 & 4 Methylphenol	2.00	1.44		ug/L		72	29 - 120	
Naphthalene	2.00	1.68		ug/L		84	42 - 120	
2-Nitroaniline	2.00	2.06		ug/L		103	43 - 120	
3-Nitroaniline	2.00	1.61	J	ug/L		81	10 - 138	
4-Nitroaniline	2.00	1.76	J	ug/L		88	38 - 133	
Nitrobenzene	2.00	1.84		ug/L		92	38 - 120	
4-Nitrophenol	4.00	2.01	J	ug/L		50	10 - 120	
N-Nitrosodi-n-propylamine	2.00	2.12		ug/L		106	39 - 120	
N-Nitrosodiphenylamine	2.00	1.95		ug/L		97	52 - 120	
Pentachlorophenol	4.00	2.31	J	ug/L		58	18 - 135	
Phenanthrene	2.00	2.07		ug/L		103	54 - 120	
Phenol	2.00	0.758	J	ug/L		38	13 - 120	
Pyrene	2.00	2.35		ug/L		118	57 - 120	
1,2,4-Trichlorobenzene	2.00	1.76		ug/L		88	21 - 120	
2,4,5-Trichlorophenol	2.00	1.96		ug/L		98	45 - 120	
2,4,6-Trichlorophenol	2.00	1.85		ug/L		92	43 - 120	

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
2-Fluorobiphenyl	76		35 - 120
2-Fluorophenol (Surr)	50		21 - 120
Nitrobenzene-d5 (Surr)	87		39 - 120
Phenol-d5 (Surr)	32		10 - 120
Terphenyl-d14	120		63 - 137
2,4,6-Tribromophenol	101		50 - 130

Lab Sample ID: LCSD 580-377974/3-A

Matrix: Water

Analysis Batch: 377989

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 377974

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits		RPD	
									RPD	Limit
Acenaphthene	2.00	1.70		ug/L		85	41 - 120	1	35	
Acenaphthylene	2.00	1.76		ug/L		88	43 - 120	1	35	
Anthracene	2.00	2.16		ug/L		108	58 - 120	8	35	
Benzo[a]anthracene	2.00	2.51		ug/L		125	48 - 131	5	35	
Benzo[a]pyrene	2.00	2.33		ug/L		117	55 - 125	5	35	
Benzo[b]fluoranthene	2.00	2.54	*+	ug/L		127	54 - 124	6	35	

Eurofins Seattle

QC Sample Results

Client: AECOM
Project/Site: Red Hill Drinking Water

Job ID: 580-109117-6

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 580-377974/3-A

Matrix: Water

Analysis Batch: 377989

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 377974

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec.	RPD	RPD
	Added	Result	Qualifier				Limits		Limit
Benzo[g,h,i]perylene	2.00	1.59		ug/L		79	46 - 124	6	35
Benzo[k]fluoranthene	2.00	2.22		ug/L		111	52 - 132	5	35
Bis(2-chloroethoxy)methane	2.00	1.88		ug/L		94	38 - 120	0	35
Bis(2-ethylhexyl) phthalate	2.00	2.67	J	ug/L		134	41 - 150	5	35
4-Bromophenyl phenyl ether	2.00	1.98		ug/L		99	53 - 120	0	35
Butyl benzyl phthalate	2.00	2.61	J	ug/L		131	40 - 150	5	35
Carbazole	2.00	2.47		ug/L		124	61 - 150	8	35
4-Chloroaniline	2.00	1.12	J	ug/L		56	10 - 150	31	35
4-Chloro-3-methylphenol	2.00	1.85		ug/L		93	36 - 120	2	35
2-Chloronaphthalene	2.00	1.76		ug/L		88	35 - 120	0	35
2-Chlorophenol	2.00	1.65		ug/L		83	44 - 120	0	35
4-Chlorophenyl phenyl ether	2.00	1.85		ug/L		92	41 - 120	2	35
Chrysene	2.00	2.35		ug/L		118	57 - 125	6	35
Dibenz(a,h)anthracene	2.00	1.67		ug/L		84	48 - 126	8	35
Dibenzofuran	2.00	1.89		ug/L		95	45 - 120	8	35
1,2-Dichlorobenzene	2.00	1.73		ug/L		86	20 - 120	5	35
1,3-Dichlorobenzene	2.00	1.70		ug/L		85	20 - 120	2	35
1,4-Dichlorobenzene	2.00	1.67		ug/L		84	20 - 120	1	35
3,3'-Dichlorobenzidine	4.00	4.59		ug/L		115	33 - 150	12	35
2,4-Dichlorophenol	2.00	1.78		ug/L		89	45 - 120	1	35
Diethyl phthalate	2.00	2.47	*+	ug/L		123	60 - 121	3	35
2,4-Dimethylphenol	2.00	1.97	J	ug/L		99	37 - 120	1	35
Dimethyl phthalate	2.00	2.25		ug/L		112	54 - 120	3	35
Di-n-butyl phthalate	2.00	2.60	J	ug/L		130	55 - 150	6	35
4,6-Dinitro-2-methylphenol	4.00	2.62		ug/L		65	29 - 136	1	35
2,4-Dinitrophenol	4.00	2.05	J	ug/L		51	10 - 146	7	35
2,4-Dinitrotoluene	2.00	2.30		ug/L		115	51 - 120	7	35
2,6-Dinitrotoluene	2.00	2.02		ug/L		101	52 - 120	6	35
Di-n-octyl phthalate	2.00	2.70		ug/L		135	48 - 140	4	35
Fluoranthene	2.00	2.54	*+	ug/L		127	60 - 121	10	35
Fluorene	2.00	1.95		ug/L		98	20 - 120	7	35
Hexachlorobenzene	2.00	2.05		ug/L		103	49 - 120	5	35
Hexachlorobutadiene	2.00	1.66		ug/L		83	10 - 130	1	35
Hexachlorocyclopentadiene	2.00	0.182	J *	ug/L		9	10 - 125	10	35
Hexachloroethane	2.00	1.14		ug/L		57	10 - 130	2	35
Indeno[1,2,3-cd]pyrene	2.00	1.73		ug/L		86	39 - 124	1	35
Isophorone	2.00	1.98		ug/L		99	41 - 120	7	35
2-Methylphenol	2.00	1.51		ug/L		76	30 - 120	1	35
3 & 4 Methylphenol	2.00	1.42		ug/L		71	29 - 120	2	35
Naphthalene	2.00	1.64		ug/L		82	42 - 120	2	35
2-Nitroaniline	2.00	2.06		ug/L		103	43 - 120	0	35
3-Nitroaniline	2.00	1.68	J	ug/L		84	10 - 138	4	35
4-Nitroaniline	2.00	2.13		ug/L		106	38 - 133	19	35
Nitrobenzene	2.00	1.80		ug/L		90	38 - 120	2	35
4-Nitrophenol	4.00	2.05	J	ug/L		51	10 - 120	2	35
N-Nitrosodi-n-propylamine	2.00	2.02		ug/L		101	39 - 120	5	35
N-Nitrosodiphenylamine	2.00	2.12		ug/L		106	52 - 120	8	35
Pentachlorophenol	4.00	2.04	J	ug/L		51	18 - 135	13	35
Phenanthrene	2.00	2.24		ug/L		112	54 - 120	8	35

Eurofins Seattle

QC Sample Results

Client: AECOM
Project/Site: Red Hill Drinking Water

Job ID: 580-109117-6

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 580-377974/3-A
Matrix: Water
Analysis Batch: 377989

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 377974

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Phenol	2.00	0.762	J	ug/L		38	13 - 120	1	35
Pyrene	2.00	2.54	*+	ug/L		127	57 - 120	8	35
1,2,4-Trichlorobenzene	2.00	1.73		ug/L		87	21 - 120	2	35
2,4,5-Trichlorophenol	2.00	1.96		ug/L		98	45 - 120	0	35
2,4,6-Trichlorophenol	2.00	1.84		ug/L		92	43 - 120	1	35

Surrogate	LCSD %Recovery	LCSD Qualifier	LCSD Limits
2-Fluorobiphenyl	77		35 - 120
2-Fluorophenol (Surr)	50		21 - 120
Nitrobenzene-d5 (Surr)	82		39 - 120
Phenol-d5 (Surr)	29		10 - 120
Terphenyl-d14	128		63 - 137
2,4,6-Tribromophenol	110		50 - 130

Method: 8015D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 580-377984/1-A
Matrix: Water
Analysis Batch: 378039

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 377984

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C9-C25	45	U	55	45	ug/L		01/11/22 09:52	01/11/22 20:20	1
C24-C40	90	U	180	90	ug/L		01/11/22 09:52	01/11/22 20:20	1

Surrogate	MB %Recovery	MB Qualifier	MB Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	73		53 - 120	01/11/22 09:52	01/11/22 20:20	1

Lab Sample ID: LCS 580-377984/2-A
Matrix: Water
Analysis Batch: 378039

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 377984

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
C9-C25	4000	3240		ug/L		81	55 - 134
C24-C40	4000	3950		ug/L		99	36 - 143

Surrogate	LCS %Recovery	LCS Qualifier	LCS Limits
o-Terphenyl	72		53 - 120

Lab Sample ID: LCSD 580-377984/3-A
Matrix: Water
Analysis Batch: 378039

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 377984

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
C9-C25	4000	3240		ug/L		81	55 - 134	0	26
C24-C40	4000	3850		ug/L		96	36 - 143	3	24

Surrogate	LCSD %Recovery	LCSD Qualifier	LCSD Limits
o-Terphenyl	78		53 - 120

Eurofins Seattle

Lab Chronicle

Client: AECOM
Project/Site: Red Hill Drinking Water

Job ID: 580-109117-6

Client Sample ID: 20220108-C3-ZT02

Lab Sample ID: 580-109117-7

Date Collected: 01/08/22 14:48

Matrix: Water

Date Received: 01/10/22 09:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	378017	01/11/22 16:45	JSM	FGS SEA
Total/NA	Analysis	8260D		1	378016	01/11/22 16:45	JSM	FGS SEA
Total/NA	Prep	3510C			377974	01/10/22 19:30	JHR	FGS SEA
Total/NA	Analysis	8270E		1	377989	01/11/22 19:13	T1L	FGS SEA
Total/NA	Prep	3510C			377984	01/11/22 09:52	M1E	FGS SEA
Total/NA	Analysis	8015D		1	378039	01/11/22 23:21	JAE	FGS SEA

Laboratory References:

FGS SEA = Eurofins Seattle, 5755 8th Street East, Tacoma, WA 98424, TEL (253)922-2310



Accreditation/Certification Summary

Client: AECOM
Project/Site: Red Hill Drinking Water

Job ID: 580-109117-6

Laboratory: Eurofins Seattle

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
ANAB	Dept. of Defense ELAP	L2236	01-19-22

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8260D		Water	1,2-Dichloroethene, Total



Sample Summary

Client: AECOM
Project/Site: Red Hill Drinking Water

Job ID: 580-109117-6

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
580-109117-7	20220108-C3-ZT02	Water	01/08/22 14:48	01/10/22 09:15

1

2

3

4

5

6

7

8

9

10

11

Login Sample Receipt Checklist

Client: AECOM

Job Number: 580-109117-6

Login Number: 109117

List Number: 1

Creator: Presley, Kim A

List Source: Eurofins Seattle

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	False	Refer to Job Narrative for details.
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Work Orders: 2A10034

Project: 60674414, COC # 01092022 DW-53

Attn: Margie Pascua

Client: AECOM - Honolulu
1001 Bishop Street Suite 1600
Honolulu, HI 96813

Report Date: 1/13/2022

Received Date: 1/10/2022

Turnaround Time: 3 workdays

Phones: (808) 529-7277

Fax: (808) 524-0246

P.O. #: reference number
60571032.02.46.01

Billing Code:


ELAP-CA #1132 • EPA-UCMR #CA00211 • Guam-EPA #17-008R • HW-DOH #4047 • LACSD #10143 • NELAP-OR #4047 • NJ-DEP #CA015 • NV-DEP #NAC 445A • SCAQMD #93LA1006

This is a complete final report. The information in this report applies to the samples analyzed in accordance with the chain-of-custody document. Weck Laboratories certifies that the test results meet all requirements of TNI unless noted by qualifiers or written in the Case Narrative. This analytical report must be reproduced in its entirety.

Dear Margie Pascua,

Enclosed are the results of analyses for samples received 1/10/22 with the Chain-of-Custody document. The samples were received in good condition, at 2.4 °C and on ice. All analyses met the method criteria except as noted in the case narrative or in the report with data qualifiers.

Reviewed by:



Brandon Gee For Kim G. Tu
Project Manager



AECOM - Honolulu
1001 Bishop Street Suite 1600
Honolulu, HI 96813

Project Number: 60674414, COC # 01092022 DW-53

Reported:
01/13/2022 17:55

Project Manager: Margie Pascua

Sample Summary

Sample Name	Sampled By	Lab ID	Matrix	Sampled	Qualifiers
20220109-C3-ZT-01	AECOM	2A10034-01	Water	01/09/22 17:20	
20220109-C3-ZT-02	AECOM	2A10034-02	Water	01/09/22 17:15	

AECOM - Honolulu
1001 Bishop Street Suite 1600
Honolulu, HI 96813

Project Number: 60674414, COC # 01092022 DW-53

Reported:
01/13/2022 17:55

Project Manager: Margie Pascua

Sample Results

Sample: 20220109-C3-ZT-01
2A10034-01 (Water) Sampled: 01/09/22 17:20 by AECOM

Analyte	Result	MDL	MRL	Units	Dil	Analyzed	Qualifier
---------	--------	-----	-----	-------	-----	----------	-----------

Conventional Chemistry/Physical Parameters by APHA/EPA/ASTM Methods

Method: SM 5310B				Instr: TOC02			
Batch ID: W2A0451	Preparation: _NONE (TOC/TOX)			Prepared: 01/11/22 09:24		Analyst: ajc	
Total Organic Carbon (TOC)	0.261	0.190	0.300	mg/l	1	01/12/22	J

Metals by EPA 200 Series Methods

Method: EPA 200.8				Instr: ICPMS04			
Batch ID: W2A0580	Preparation: EPA 200.2			Prepared: 01/10/22 14:25		Analyst: chc	
Antimony, Total	ND	0.0889	0.500	ug/l	1	01/11/22	U
Arsenic, Total	ND	0.0741	0.400	ug/l	1	01/11/22	U
Barium, Total	2.07	0.142	1.00	ug/l	1	01/11/22	
Beryllium, Total	ND	0.0624	0.100	ug/l	1	01/11/22	U
Cadmium, Total	ND	0.0416	0.200	ug/l	1	01/11/22	U
Chromium, Total	1.06	0.0887	0.200	ug/l	1	01/11/22	
Copper, Total	4.72	0.225	0.500	ug/l	1	01/11/22	
Lead, Total	0.940	0.0827	0.200	ug/l	1	01/11/22	
Selenium, Total	0.183	0.0666	0.400	ug/l	1	01/11/22	J
Thallium, Total	ND	0.0210	0.200	ug/l	1	01/11/22	U

Method: EPA 245.1				Instr: HG03			
Batch ID: W2A0582	Preparation: Method (Hot Block)			Prepared: 01/10/22 12:15		Analyst: kvm	
Mercury, Total	ND	0.0170	0.0500	ug/l	1	01/10/22	U

Semivolatile Organic Compounds by GC/MS

Method: EPA 525.2				Instr: GCMS16			
Batch ID: W2A0581	Preparation: Method (SPE)			Prepared: 01/10/22 12:15		Analyst: rmr	
1-Methylnaphthalene	ND	0.00801	0.0500	ug/l	1	01/11/22	U
2-Methylnaphthalene	0.0105	0.00904	0.0500	ug/l	1	01/11/22	J
Alachlor	ND	0.0110	0.100	ug/l	1	01/11/22	U
Atrazine	ND	0.00734	0.100	ug/l	1	01/11/22	U
Benzo (a) pyrene	ND	0.0117	0.100	ug/l	1	01/11/22	Q-02, U
Bis(2-ethylhexyl)adipate	ND	0.00962	5.00	ug/l	1	01/11/22	U
Bis(2-ethylhexyl)phthalate	ND	0.437	3.00	ug/l	1	01/11/22	U
Endrin	ND	0.00991	0.200	ug/l	1	01/11/22	U
gamma-BHC (Lindane)	ND	0.00633	0.100	ug/l	1	01/11/22	U
Heptachlor	ND	0.00965	0.100	ug/l	1	01/11/22	BS-04, U
Heptachlor epoxide	ND	0.0122	0.100	ug/l	1	01/11/22	U
Hexachlorobenzene	ND	0.0980	0.100	ug/l	1	01/11/22	U
Hexachlorocyclopentadiene	ND	0.00594	1.00	ug/l	1	01/11/22	U
Methoxychlor	ND	0.00863	0.200	ug/l	1	01/11/22	U
Naphthalene	ND	0.0103	0.0500	ug/l	1	01/11/22	U
Pentachlorophenol	ND	0.0242	1.00	ug/l	1	01/11/22	U

AECOM - Honolulu
1001 Bishop Street Suite 1600
Honolulu, HI 96813

Project Number: 60674414, COC # 01092022 DW-53

Reported:
01/13/2022 17:55

Project Manager: Margie Pascua

Sample Results

(Continued)

Sample: 20220109-C3-ZT-01
2A10034-01 (Water) Sampled: 01/09/22 17:20 by AECOM
(Continued)

Analyte	Result	MDL	MRL	Units	Dil	Analyzed	Qualifier
---------	--------	-----	-----	-------	-----	----------	-----------

Semivolatile Organic Compounds by GC/MS (Continued)

Method: EPA 525.2	Instr: GCMS16
Batch ID: W2A0581	Preparation: Method (SPE)
Prepared: 01/10/22 12:15	Analyst: rmr
Simazine	ND 0.00734 0.100 ug/l 1 01/11/22 U
<i>Surrogate(s)</i>	
1,3-Dimethyl-2-nitrobenzene	104% Conc: 5.22 70-130 01/11/22
Perylene-d12	91% Conc: 4.59 70-130 01/11/22
Triphenyl phosphate	100% Conc: 5.04 70-130 01/11/22

Volatile Organic Compounds by P&T and GC/MS

Method: EPA 524.2	Instr: GCMS14
Batch ID: W2A0576	Preparation: Method (P+T)
Prepared: 01/10/22 17:00	Analyst: cam
1,1,1-Trichloroethane	ND 0.256 0.500 ug/l 1 01/10/22 U
1,1,2-Trichloroethane	ND 0.190 0.500 ug/l 1 01/10/22 U
1,1-Dichloroethene	ND 0.160 0.500 ug/l 1 01/10/22 U
1,2,4-Trichlorobenzene	ND 0.170 0.500 ug/l 1 01/10/22 U
1,2-Dichloroethane	ND 0.243 0.500 ug/l 1 01/10/22 U
1,2-Dichloropropane	ND 0.130 0.500 ug/l 1 01/10/22 U
Benzene	ND 0.150 0.500 ug/l 1 01/10/22 U
Carbon tetrachloride	ND 0.270 0.500 ug/l 1 01/10/22 U
Chlorobenzene	ND 0.150 0.500 ug/l 1 01/10/22 U
cis-1,2-Dichloroethene	ND 0.250 0.500 ug/l 1 01/10/22 U
Ethylbenzene	ND 0.210 0.500 ug/l 1 01/10/22 U
m,p-Xylene	ND 0.330 0.500 ug/l 1 01/10/22 U
Methylene chloride	ND 0.303 0.500 ug/l 1 01/10/22 U
o-Dichlorobenzene	ND 0.190 0.500 ug/l 1 01/10/22 U
o-Xylene	ND 0.200 0.500 ug/l 1 01/10/22 U
p-Dichlorobenzene	ND 0.180 0.500 ug/l 1 01/10/22 U
Styrene	ND 0.190 0.500 ug/l 1 01/10/22 U
Tetrachloroethene	ND 0.180 0.500 ug/l 1 01/10/22 U
THMs, Total	0.840 0.500 ug/l 1 01/10/22
Toluene	ND 0.294 0.500 ug/l 1 01/10/22 U
trans-1,2-Dichloroethene	ND 0.259 0.500 ug/l 1 01/10/22 U
Trichloroethene	ND 0.180 0.500 ug/l 1 01/10/22 U
Vinyl chloride	ND 0.180 0.500 ug/l 1 01/10/22 U
<i>Surrogate(s)</i>	
1,2-Dichlorobenzene-d4	80% Conc: 8.00 70-130 01/10/22
4-Bromofluorobenzene	80% Conc: 8.05 70-130 01/10/22

AECOM - Honolulu
 1001 Bishop Street Suite 1600
 Honolulu, HI 96813

Project Number: 60674414, COC # 01092022 DW-53

Reported:
 01/13/2022 17:55

Project Manager: Margie Pascua

Sample Results

(Continued)

Sample: 20220109-C3-ZT-01
 2A10034-01RE1 (Water) Sampled: 01/09/22 17:20 by AECOM

Analyte	Result	MDL	MRL	Units	Dil	Analyzed	Qualifier
Chlorinated Pesticides and/or PCBs by GC/ECD							
Method: EPA 508.1				Instr: GC08			
Batch ID: W2A0806		Preparation: Method (SPE)		Prepared: 01/12/22 14:11		Analyst: rjg	
Aroclor 1016	ND	0.100	0.100	ug/l	1	01/13/22	R-01, U
Aroclor 1221	ND	0.100	0.100	ug/l	1	01/13/22	R-01, U
Aroclor 1232	ND	0.100	0.100	ug/l	1	01/13/22	R-01, U
Aroclor 1242	ND	0.100	0.100	ug/l	1	01/13/22	R-01, U
Aroclor 1248	ND	0.100	0.100	ug/l	1	01/13/22	R-01, U
Aroclor 1254	ND	0.100	0.100	ug/l	1	01/13/22	R-01, U
Aroclor 1260	ND	0.100	0.100	ug/l	1	01/13/22	R-01, U
Chlordane (tech)	ND	0.0669	0.100	ug/l	1	01/13/22	U
PCBs, Total	ND		0.500	ug/l	1	01/13/22	U
<i>Surrogate(s)</i>							
4,4-Dibromobiphenyl	103%	Conc: 0.105	70-130			01/13/22	

AECOM - Honolulu
1001 Bishop Street Suite 1600
Honolulu, HI 96813

Project Number: 60674414, COC # 01092022 DW-53

Reported:
01/13/2022 17:55

Project Manager: Margie Pascua

Sample Results

(Continued)

Sample: 20220109-C3-ZT-02
2A10034-02 (Water) Sampled: 01/09/22 17:15 by AECOM

Analyte	Result	MDL	MRL	Units	Dil	Analyzed	Qualifier
Volatile Organic Compounds by P&T and GC/MS							
Method: EPA 524.2			Instr: GCMS14				
Batch ID: W2A0576		Preparation: Method (P+T)			Prepared: 01/10/22 17:00		Analyst: cam
1,1,1-Trichloroethane	ND	0.256	0.500	ug/l	1	01/10/22	U
1,1,2-Trichloroethane	ND	0.190	0.500	ug/l	1	01/10/22	U
1,1-Dichloroethene	ND	0.160	0.500	ug/l	1	01/10/22	U
1,2,4-Trichlorobenzene	ND	0.170	0.500	ug/l	1	01/10/22	U
1,2-Dichloroethane	ND	0.243	0.500	ug/l	1	01/10/22	U
1,2-Dichloropropane	ND	0.130	0.500	ug/l	1	01/10/22	U
Benzene	ND	0.150	0.500	ug/l	1	01/10/22	U
Carbon tetrachloride	ND	0.270	0.500	ug/l	1	01/10/22	U
Chlorobenzene	ND	0.150	0.500	ug/l	1	01/10/22	U
cis-1,2-Dichloroethene	ND	0.250	0.500	ug/l	1	01/10/22	U
Ethylbenzene	ND	0.210	0.500	ug/l	1	01/10/22	U
m,p-Xylene	ND	0.330	0.500	ug/l	1	01/10/22	U
Methylene chloride	ND	0.303	0.500	ug/l	1	01/10/22	U
o-Dichlorobenzene	ND	0.190	0.500	ug/l	1	01/10/22	U
o-Xylene	ND	0.200	0.500	ug/l	1	01/10/22	U
p-Dichlorobenzene	ND	0.180	0.500	ug/l	1	01/10/22	U
Styrene	ND	0.190	0.500	ug/l	1	01/10/22	U
Tetrachloroethene	ND	0.180	0.500	ug/l	1	01/10/22	U
THMs, Total	ND		0.500	ug/l	1	01/10/22	U
Toluene	ND	0.294	0.500	ug/l	1	01/10/22	U
trans-1,2-Dichloroethene	ND	0.259	0.500	ug/l	1	01/10/22	U
Trichloroethene	ND	0.180	0.500	ug/l	1	01/10/22	U
Vinyl chloride	ND	0.180	0.500	ug/l	1	01/10/22	U
<i>Surrogate(s)</i>							
1,2-Dichlorobenzene-d4	83%	Conc: 8.31	70-130			01/10/22	
4-Bromofluorobenzene	90%	Conc: 9.04	70-130			01/10/22	

AECOM - Honolulu
1001 Bishop Street Suite 1600
Honolulu, HI 96813

Project Number: 60674414, COC # 01092022 DW-53

Reported:
01/13/2022 17:55

Project Manager: Margie Pascua

Quality Control Results

Chlorinated Pesticides and/or PCBs by GC/ECD

Analyte	Result	MDL	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Qualifier
Batch: W2A0806 - EPA 508.1											
Blank (W2A0806-BLK1)						Prepared: 01/12/22 Analyzed: 01/13/22					
Aroclor 1016	ND	0.0157	0.100	ug/l							U
Aroclor 1221	ND	0.0436	0.100	ug/l							U
Aroclor 1232	ND	0.0102	0.100	ug/l							U
Aroclor 1242	ND	0.0737	0.100	ug/l							U
Aroclor 1248	ND	0.0941	0.100	ug/l							U
Aroclor 1254	ND	0.0869	0.100	ug/l							U
Aroclor 1260	ND	0.0379	0.100	ug/l							U
Chlordane (tech)	ND	0.0669	0.100	ug/l							U
PCBs, Total	ND		0.500	ug/l							U
<i>Surrogate(s)</i>											
4,4-Dibromobiphenyl	0.0942			ug/l	0.100		94	70-130			
LCS (W2A0806-BS1)						Prepared: 01/12/22 Analyzed: 01/13/22					
Aroclor 1016	0.425	0.0157	0.100	ug/l	0.500		85	70-130			
Aroclor 1260	0.443	0.0379	0.100	ug/l	0.500		89	70-130			
<i>Surrogate(s)</i>											
4,4-Dibromobiphenyl	0.0934			ug/l	0.100		93	70-130			
LCS Dup (W2A0806-BSD1)						Prepared: 01/12/22 Analyzed: 01/13/22					
Aroclor 1016	0.413	0.0157	0.100	ug/l	0.500		83	70-130	3	30	
Aroclor 1260	0.435	0.0379	0.100	ug/l	0.500		87	70-130	2	30	
<i>Surrogate(s)</i>											
4,4-Dibromobiphenyl	0.0886			ug/l	0.100		89	70-130			

Quality Control Results

Conventional Chemistry/Physical Parameters by APHA/EPA/ASTM Methods

Analyte	Result	MDL	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Qualifier
Batch: W2A0451 - SM 5310B											
Blank (W2A0451-BLK1)						Prepared: 01/07/22 Analyzed: 01/12/22					
Total Organic Carbon (TOC)	ND	0.190	0.300	mg/l							U
LCS (W2A0451-BS1)						Prepared: 01/07/22 Analyzed: 01/12/22					
Total Organic Carbon (TOC)	1.08	0.190	0.300	mg/l	1.00		108	85-115			
Matrix Spike (W2A0451-MS1)						Prepared: 01/07/22 Analyzed: 01/12/22					
Total Organic Carbon (TOC)	5.83	0.190	0.300	mg/l	5.00	1.62	84	76-115			
Matrix Spike Dup (W2A0451-MSD1)						Prepared: 01/07/22 Analyzed: 01/12/22					
Total Organic Carbon (TOC)	5.83	0.190	0.300	mg/l	5.00	1.62	84	76-115	0.02	20	

AECOM - Honolulu
1001 Bishop Street Suite 1600
Honolulu, HI 96813

Project Number: 60674414, COC # 01092022 DW-53

Reported:
01/13/2022 17:55

Project Manager: Margie Pascua

Quality Control Results

(Continued)

Metals by EPA 200 Series Methods

Analyte	Result	MDL	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Qualifier
Batch: W2A0580 - EPA 200.8											
Blank (W2A0580-BLK1)											
					Prepared: 01/10/22 Analyzed: 01/11/22						
Antimony, Total	ND	0.0889	0.500	ug/l							U
Arsenic, Total	ND	0.0741	0.400	ug/l							U
Barium, Total	ND	0.142	1.00	ug/l							U
Beryllium, Total	ND	0.0624	0.100	ug/l							U
Cadmium, Total	ND	0.0416	0.200	ug/l							U
Chromium, Total	ND	0.0887	0.200	ug/l							U
Copper, Total	ND	0.225	0.500	ug/l							U
Lead, Total	ND	0.0827	0.200	ug/l							U
Selenium, Total	ND	0.0666	0.400	ug/l							U
Thallium, Total	ND	0.0210	0.200	ug/l							U
LCS (W2A0580-BS1)											
					Prepared: 01/10/22 Analyzed: 01/11/22						
Antimony, Total	47.2	0.0889	0.500	ug/l	50.0		94	85-115			
Arsenic, Total	45.6	0.0741	0.400	ug/l	50.0		91	85-115			
Barium, Total	47.1	0.142	1.00	ug/l	50.0		94	85-115			
Beryllium, Total	46.0	0.0624	0.100	ug/l	50.0		92	85-115			
Cadmium, Total	43.5	0.0416	0.200	ug/l	50.0		87	85-115			
Chromium, Total	46.1	0.0887	0.200	ug/l	50.0		92	85-115			
Copper, Total	49.3	0.225	0.500	ug/l	50.0		99	85-115			
Lead, Total	47.7	0.0827	0.200	ug/l	50.0		95	85-115			
Selenium, Total	44.8	0.0666	0.400	ug/l	50.0		90	85-115			
Thallium, Total	47.1	0.0210	0.200	ug/l	50.0		94	85-115			
Matrix Spike (W2A0580-MS1)											
				Source: 2A10032-01		Prepared: 01/10/22 Analyzed: 01/11/22					
Antimony, Total	44.8	0.0889	0.500	ug/l	50.0	ND	90	70-130			
Arsenic, Total	47.7	0.0741	0.400	ug/l	50.0	0.0785	95	70-130			
Barium, Total	47.4	0.142	1.00	ug/l	50.0	2.89	89	70-130			
Beryllium, Total	44.3	0.0624	0.100	ug/l	50.0	ND	89	70-130			
Cadmium, Total	45.7	0.0416	0.200	ug/l	50.0	ND	91	70-130			
Chromium, Total	50.0	0.0887	0.200	ug/l	50.0	1.28	97	70-130			
Copper, Total	54.2	0.225	0.500	ug/l	50.0	10.8	87	70-130			
Lead, Total	45.0	0.0827	0.200	ug/l	50.0	0.812	88	70-130			
Selenium, Total	46.4	0.0666	0.400	ug/l	50.0	0.165	92	70-130			
Thallium, Total	43.3	0.0210	0.200	ug/l	50.0	ND	87	70-130			
Matrix Spike Dup (W2A0580-MSD1)											
				Source: 2A10032-01		Prepared: 01/10/22 Analyzed: 01/11/22					
Antimony, Total	49.2	0.0889	0.500	ug/l	50.0	ND	98	70-130	9	30	
Arsenic, Total	50.3	0.0741	0.400	ug/l	50.0	0.0785	100	70-130	5	30	
Barium, Total	52.4	0.142	1.00	ug/l	50.0	2.89	99	70-130	10	30	
Beryllium, Total	48.9	0.0624	0.100	ug/l	50.0	ND	98	70-130	10	30	
Cadmium, Total	48.5	0.0416	0.200	ug/l	50.0	ND	97	70-130	6	30	
Chromium, Total	51.7	0.0887	0.200	ug/l	50.0	1.28	101	70-130	3	30	

AECOM - Honolulu
 1001 Bishop Street Suite 1600
 Honolulu, HI 96813

Project Number: 60674414, COC # 01092022 DW-53

Reported:
 01/13/2022 17:55

Project Manager: Margie Pascua

Quality Control Results

(Continued)

Metals by EPA 200 Series Methods (Continued)

Analyte	Result	MDL	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Qualifier
Batch: W2A0580 - EPA 200.8 (Continued)											
Matrix Spike Dup (W2A0580-MSD1)			Source: 2A10032-01			Prepared: 01/10/22 Analyzed: 01/11/22					
Copper, Total	59.6	0.225	0.500	ug/l	50.0	10.8	98	70-130	10	30	
Lead, Total	49.2	0.0827	0.200	ug/l	50.0	0.812	97	70-130	9	30	
Selenium, Total	50.0	0.0666	0.400	ug/l	50.0	0.165	100	70-130	8	30	
Thallium, Total	47.7	0.0210	0.200	ug/l	50.0	ND	95	70-130	10	30	
Batch: W2A0582 - EPA 245.1											
Blank (W2A0582-BLK1)			Prepared & Analyzed: 01/10/22								
Mercury, Total	ND	0.0170	0.0500	ug/l							U
LCS (W2A0582-BS1)			Prepared & Analyzed: 01/10/22								
Mercury, Total	1.07	0.0170	0.0500	ug/l	1.00		107	85-115			
Matrix Spike (W2A0582-MS1)			Source: 2A10032-01			Prepared & Analyzed: 01/10/22					
Mercury, Total	1.07	0.0170	0.0500	ug/l	1.00	ND	107	70-130			
Matrix Spike Dup (W2A0582-MSD1)			Source: 2A10032-01			Prepared & Analyzed: 01/10/22					
Mercury, Total	1.09	0.0170	0.0500	ug/l	1.00	ND	109	70-130	2	20	

AECOM - Honolulu
1001 Bishop Street Suite 1600
Honolulu, HI 96813

Project Number: 60674414, COC # 01092022 DW-53

Reported:
01/13/2022 17:55

Project Manager: Margie Pascua

Quality Control Results

(Continued)

Semivolatile Organic Compounds by GC/MS

Analyte	Result	MDL	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Qualifier
Batch: W2A0581 - EPA 525.2											
Blank (W2A0581-BLK1)						Prepared: 01/10/22 Analyzed: 01/11/22					
1-Methylnaphthalene	ND	0.00801	0.0500	ug/l							U
2-Methylnaphthalene	0.00987	0.00904	0.0500	ug/l							J
Alachlor	ND	0.0110	0.100	ug/l							U
Atrazine	ND	0.00734	0.100	ug/l							U
Benzo (a) pyrene	ND	0.0117	0.100	ug/l							U
Bis(2-ethylhexyl)adipate	ND	0.00962	5.00	ug/l							U
Bis(2-ethylhexyl)phthalate	ND	0.437	3.00	ug/l							U
Endrin	ND	0.00991	0.200	ug/l							U
gamma-BHC (Lindane)	ND	0.00633	0.100	ug/l							U
Heptachlor	ND	0.00965	0.100	ug/l							U
Heptachlor epoxide	ND	0.0122	0.100	ug/l							U
Hexachlorobenzene	ND	0.0980	0.100	ug/l							U
Hexachlorocyclopentadiene	ND	0.00594	1.00	ug/l							U
Methoxychlor	ND	0.00863	0.200	ug/l							U
Naphthalene	ND	0.0103	0.0500	ug/l							U
Pentachlorophenol	ND	0.0242	1.00	ug/l							U
Simazine	ND	0.00734	0.100	ug/l							U
<i>Surrogate(s)</i>											
1,3-Dimethyl-2-nitrobenzene	4.80			ug/l	5.00		96	70-130			
Perylene-d12	4.44			ug/l	5.00		89	70-130			
Triphenyl phosphate	4.34			ug/l	5.00		87	70-130			
LCS (W2A0581-BS1)						Prepared: 01/10/22 Analyzed: 01/11/22					
1-Methylnaphthalene	0.211	0.00801	0.0500	ug/l	0.250		84	70-130			
2-Methylnaphthalene	0.207	0.00904	0.0500	ug/l	0.250		83	70-130			
Alachlor	0.389	0.0110	0.100	ug/l	0.500		78	70-130			
Atrazine	0.215	0.00734	0.100	ug/l	0.250		86	70-130			
Benzo (a) pyrene	0.110	0.0117	0.100	ug/l	0.250		44	60-130			Q-02
Bis(2-ethylhexyl)adipate	0.153	0.00962	5.00	ug/l	0.250		61	50-150			J
Bis(2-ethylhexyl)phthalate	0.172	0.00	3.00	ug/l	0.250		69	50-150			J
Endrin	0.223	0.00991	0.200	ug/l	0.250		89	70-130			
gamma-BHC (Lindane)	0.276	0.00633	0.100	ug/l	0.250		110	70-130			
Heptachlor	0.167	0.00965	0.100	ug/l	0.250		67	70-130			BS-04
Heptachlor epoxide	0.219	0.0122	0.100	ug/l	0.250		87	70-130			
Hexachlorobenzene	0.0392	0.00	0.100	ug/l	0.0500		78	70-130			J
Hexachlorocyclopentadiene	0.154	0.00594	1.00	ug/l	0.250		62	33-106			J
Methoxychlor	0.197	0.00863	0.200	ug/l	0.250		79	70-130			J
Naphthalene	0.218	0.0103	0.0500	ug/l	0.250		87	70-130			
Pentachlorophenol	0.258	0.0242	1.00	ug/l	0.250		103	50-120			J
Simazine	0.221	0.00734	0.100	ug/l	0.250		88	60-130			

AECOM - Honolulu
1001 Bishop Street Suite 1600
Honolulu, HI 96813

Project Number: 60674414, COC # 01092022 DW-53

Reported:
01/13/2022 17:55

Project Manager: Margie Pascua

Quality Control Results

(Continued)

Semivolatle Organic Compounds by GC/MS (Continued)

Analyte	Result	MDL	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Qualifier
Batch: W2A0581 - EPA 525.2 (Continued)											
LCS (W2A0581-BS1)						Prepared: 01/10/22 Analyzed: 01/11/22					
<i>Surrogate(s)</i>											
1,3-Dimethyl-2-nitrobenzene	4.82			ug/l	5.00		96	70-130			
Perylene-d12	4.66			ug/l	5.00		93	70-130			
Triphenyl phosphate	4.71			ug/l	5.00		94	70-130			
LCS (W2A0581-BS2)						Prepared: 01/10/22 Analyzed: 01/11/22					
1-Methylnaphthalene	0.0482	0.00801	0.0500	ug/l	0.0500		96	50-150			J
2-Methylnaphthalene	0.0490	0.00904	0.0500	ug/l	0.0500		98	50-150			J
Alachlor	0.0858	0.0110	0.100	ug/l	0.100		86	50-150			J
Atrazine	0.0619	0.00734	0.100	ug/l	0.0500		124	50-150			J
Benzo (a) pyrene	0.0704	0.0117	0.100	ug/l	0.0500		141	50-150			J
Bis(2-ethylhexyl)adipate	0.0808	0.00962	5.00	ug/l	0.0500		162	50-150			J
Bis(2-ethylhexyl)phthalate	0.0983	0.00	3.00	ug/l	0.0500		197	50-150			J
Endrin	0.0682	0.00991	0.200	ug/l	0.0500		136	50-150			J
gamma-BHC (Lindane)	0.0473	0.00633	0.100	ug/l	0.0500		95	50-150			J
Heptachlor	0.0523	0.00965	0.100	ug/l	0.0500		105	50-150			J
Heptachlor epoxide	0.0431	0.0122	0.100	ug/l	0.0500		86	50-150			J
Hexachlorobenzene	0.00931	0.00	0.100	ug/l	0.0100		93	50-150			J
Hexachlorocyclopentadiene	0.129	0.00594	1.00	ug/l	0.0500		259	50-150			J
Methoxychlor	0.0670	0.00863	0.200	ug/l	0.0500		134	50-150			J
Naphthalene	0.0501	0.0103	0.0500	ug/l	0.0500		100	50-150			
Pentachlorophenol	0.116	0.0242	1.00	ug/l	0.0500		233	50-150			J
Simazine	0.0705	0.00734	0.100	ug/l	0.0500		141	60-150			J
<i>Surrogate(s)</i>											
1,3-Dimethyl-2-nitrobenzene	4.93			ug/l	5.00		99	70-130			
Perylene-d12	4.70			ug/l	5.00		94	70-130			
Triphenyl phosphate	5.11			ug/l	5.00		102	70-130			
LCS (W2A0581-BS3)						Prepared: 01/10/22 Analyzed: 01/11/22					
1-Methylnaphthalene	0.0483	0.00801	0.0500	ug/l	0.0500		97	50-150			J
2-Methylnaphthalene	0.0479	0.00904	0.0500	ug/l	0.0500		96	50-150			J
Alachlor	0.0866	0.0110	0.100	ug/l	0.100		87	50-150			J
Atrazine	0.0611	0.00734	0.100	ug/l	0.0500		122	50-150			J
Benzo (a) pyrene	0.0705	0.0117	0.100	ug/l	0.0500		141	50-150			J
Bis(2-ethylhexyl)adipate	0.0781	0.00962	5.00	ug/l	0.0500		156	50-150			J
Bis(2-ethylhexyl)phthalate	0.0987	0.00	3.00	ug/l	0.0500		197	50-150			J
Endrin	0.0880	0.00991	0.200	ug/l	0.0500		176	50-150			Q-08, J
gamma-BHC (Lindane)	0.0499	0.00633	0.100	ug/l	0.0500		100	50-150			J
Heptachlor	0.0536	0.00965	0.100	ug/l	0.0500		107	50-150			J
Heptachlor epoxide	0.0492	0.0122	0.100	ug/l	0.0500		98	50-150			J
Hexachlorobenzene	0.00763	0.00	0.100	ug/l	0.0100		76	50-150			J

AECOM - Honolulu
1001 Bishop Street Suite 1600
Honolulu, HI 96813

Project Number: 60674414, COC # 01092022 DW-53

Reported:
01/13/2022 17:55

Project Manager: Margie Pascua

Quality Control Results

(Continued)

Semivolatile Organic Compounds by GC/MS (Continued)

Analyte	Result	MDL	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Qualifier
Batch: W2A0581 - EPA 525.2 (Continued)											
LCS (W2A0581-BS3)					Prepared: 01/10/22 Analyzed: 01/11/22						
Hexachlorocyclopentadiene	0.120	0.00594	1.00	ug/l	0.0500	239	50-150				J
Methoxychlor	0.0663	0.00863	0.200	ug/l	0.0500	133	50-150				J
Naphthalene	0.0458	0.0103	0.0500	ug/l	0.0500	92	50-150				J
Pentachlorophenol	0.117	0.0242	1.00	ug/l	0.0500	233	50-150				J
Simazine	0.0736	0.00734	0.100	ug/l	0.0500	147	50-150				J
<i>Surrogate(s)</i>											
1,3-Dimethyl-2-nitrobenzene	4.90			ug/l	5.00	98	70-130				
Perylene-d12	4.92			ug/l	5.00	98	70-130				
Triphenyl phosphate	5.03			ug/l	5.00	101	70-130				
LCS Dup (W2A0581-BSD1)					Prepared: 01/10/22 Analyzed: 01/11/22						
1-Methylnaphthalene	0.216	0.00801	0.0500	ug/l	0.250	87	70-130	3	30		
2-Methylnaphthalene	0.216	0.00904	0.0500	ug/l	0.250	86	70-130	4	30		
Alachlor	0.411	0.0110	0.100	ug/l	0.500	82	70-130	6	30		
Atrazine	0.221	0.00734	0.100	ug/l	0.250	88	70-130	3	30		
Benzo (a) pyrene	0.142	0.0117	0.100	ug/l	0.250	57	60-130	25	30		Q-02
Bis(2-ethylhexyl)adipate	0.205	0.00962	5.00	ug/l	0.250	82	50-150	29	30		J
Bis(2-ethylhexyl)phthalate	0.224	0.00	3.00	ug/l	0.250	90	50-150	26	30		J
Endrin	0.306	0.00991	0.200	ug/l	0.250	122	70-130	31	30		Q-12
gamma-BHC (Lindane)	0.284	0.00633	0.100	ug/l	0.250	114	70-130	3	30		
Heptachlor	0.206	0.00965	0.100	ug/l	0.250	82	70-130	21	30		
Heptachlor epoxide	0.238	0.0122	0.100	ug/l	0.250	95	70-130	8	30		
Hexachlorobenzene	0.0439	0.00	0.100	ug/l	0.0500	88	70-130	11	30		J
Hexachlorocyclopentadiene	0.181	0.00594	1.00	ug/l	0.250	72	33-106	16	30		J
Methoxychlor	0.246	0.00863	0.200	ug/l	0.250	99	70-130	22	30		
Naphthalene	0.224	0.0103	0.0500	ug/l	0.250	90	70-130	3	30		
Pentachlorophenol	0.285	0.0242	1.00	ug/l	0.250	114	50-120	10	30		J
Simazine	0.231	0.00734	0.100	ug/l	0.250	93	60-130	5	30		
<i>Surrogate(s)</i>											
1,3-Dimethyl-2-nitrobenzene	4.86			ug/l	5.00	97	70-130				
Perylene-d12	4.73			ug/l	5.00	95	70-130				
Triphenyl phosphate	5.25			ug/l	5.00	105	70-130				

AECOM - Honolulu
1001 Bishop Street Suite 1600
Honolulu, HI 96813

Project Number: 60674414, COC # 01092022 DW-53

Reported:
01/13/2022 17:55

Project Manager: Margie Pascua

Quality Control Results

(Continued)

Volatile Organic Compounds by P&T and GC/MS

Analyte	Result	MDL	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	Limit	Qualifier
Batch: W2A0576 - EPA 524.2											
Blank (W2A0576-BLK1)						Prepared & Analyzed: 01/10/22					
1,1,1-Trichloroethane	ND	0.256	0.500	ug/l							U
1,1,2-Trichloroethane	ND	0.190	0.500	ug/l							U
1,1-Dichloroethene	ND	0.160	0.500	ug/l							U
1,2,4-Trichlorobenzene	ND	0.170	0.500	ug/l							U
1,2-Dichloroethane	ND	0.243	0.500	ug/l							U
1,2-Dichloropropane	ND	0.130	0.500	ug/l							U
Benzene	ND	0.150	0.500	ug/l							U
Carbon tetrachloride	ND	0.270	0.500	ug/l							U
Chlorobenzene	ND	0.150	0.500	ug/l							U
cis-1,2-Dichloroethene	ND	0.250	0.500	ug/l							U
Ethylbenzene	ND	0.210	0.500	ug/l							U
m,p-Xylene	ND	0.330	0.500	ug/l							U
Methylene chloride	ND	0.303	0.500	ug/l							U
o-Dichlorobenzene	ND	0.190	0.500	ug/l							U
o-Xylene	ND	0.200	0.500	ug/l							U
p-Dichlorobenzene	ND	0.180	0.500	ug/l							U
Styrene	ND	0.190	0.500	ug/l							U
Tetrachloroethene	ND	0.180	0.500	ug/l							U
THMs, Total	ND		0.500	ug/l							U
Toluene	ND	0.294	0.500	ug/l							U
trans-1,2-Dichloroethene	ND	0.259	0.500	ug/l							U
Trichloroethene	ND	0.180	0.500	ug/l							U
Vinyl chloride	ND	0.180	0.500	ug/l							U
<i>Surrogate(s)</i>											
1,2-Dichlorobenzene-d4	8.16			ug/l	10.0		82	70-130			
4-Bromofluorobenzene	7.95			ug/l	10.0		80	70-130			
LCS (W2A0576-BS1)						Prepared & Analyzed: 01/10/22					
1,1,1-Trichloroethane	4.94	0.256	0.500	ug/l	5.00		99	70-130			
1,1,2-Trichloroethane	4.98	0.190	0.500	ug/l	5.00		100	70-130			
1,1-Dichloroethene	5.05	0.160	0.500	ug/l	5.00		101	70-130			
1,2,4-Trichlorobenzene	5.41	0.170	0.500	ug/l	5.00		108	70-130			
1,2-Dichloroethane	4.99	0.243	0.500	ug/l	5.00		100	70-130			
1,2-Dichloropropane	5.08	0.130	0.500	ug/l	5.00		102	70-130			
Benzene	5.05	0.150	0.500	ug/l	5.00		101	70-130			
Carbon tetrachloride	4.96	0.270	0.500	ug/l	5.00		99	70-130			
Chlorobenzene	5.10	0.150	0.500	ug/l	5.00		102	70-130			
cis-1,2-Dichloroethene	5.12	0.250	0.500	ug/l	5.00		102	70-130			
Ethylbenzene	5.71	0.210	0.500	ug/l	5.00		114	70-130			
m,p-Xylene	5.68	0.330	0.500	ug/l	5.00		114	70-130			

AECOM - Honolulu
1001 Bishop Street Suite 1600
Honolulu, HI 96813

Project Number: 60674414, COC # 01092022 DW-53

Reported:
01/13/2022 17:55

Project Manager: Margie Pascua

Quality Control Results

(Continued)

Volatile Organic Compounds by P&T and GC/MS (Continued)

Analyte	Result	MDL	MRL	Units	Spike Level	Source Result	%REC	Limits	RPD	RPD Limit	Qualifier
Batch: W2A0576 - EPA 524.2 (Continued)											
LCS (W2A0576-BS1)					Prepared & Analyzed: 01/10/22						
Methylene chloride	5.18	0.303	0.500	ug/l	5.00		104	70-130			
o-Dichlorobenzene	5.01	0.190	0.500	ug/l	5.00		100	70-130			
o-Xylene	5.59	0.200	0.500	ug/l	5.00		112	70-130			
p-Dichlorobenzene	4.94	0.180	0.500	ug/l	5.00		99	70-130			
Styrene	5.45	0.190	0.500	ug/l	5.00		109	70-130			
Tetrachloroethene	4.80	0.180	0.500	ug/l	5.00		96	70-130			
Toluene	5.34	0.294	0.500	ug/l	5.00		107	70-130			
trans-1,2-Dichloroethene	5.20	0.259	0.500	ug/l	5.00		104	70-130			
Trichloroethene	5.14	0.180	0.500	ug/l	5.00		103	70-130			
Vinyl chloride	4.96	0.180	0.500	ug/l	5.00		99	70-130			
<i>Surrogate(s)</i>											
1,2-Dichlorobenzene-d4	10.2			ug/l	10.0		102	70-130			
4-Bromofluorobenzene	10.3			ug/l	10.0		103	70-130			
LCS Dup (W2A0576-BSD1)					Prepared & Analyzed: 01/10/22						
1,1,1-Trichloroethane	4.73	0.256	0.500	ug/l	5.00		95	70-130	4	30	
1,1,2-Trichloroethane	4.80	0.190	0.500	ug/l	5.00		96	70-130	4	30	
1,1-Dichloroethene	4.73	0.160	0.500	ug/l	5.00		95	70-130	6	30	
1,2,4-Trichlorobenzene	5.20	0.170	0.500	ug/l	5.00		104	70-130	4	30	
1,2-Dichloroethane	4.78	0.243	0.500	ug/l	5.00		96	70-130	4	30	
1,2-Dichloropropane	4.87	0.130	0.500	ug/l	5.00		97	70-130	4	30	
Benzene	4.82	0.150	0.500	ug/l	5.00		96	70-130	5	30	
Carbon tetrachloride	4.61	0.270	0.500	ug/l	5.00		92	70-130	7	30	
Chlorobenzene	4.87	0.150	0.500	ug/l	5.00		97	70-130	5	30	
cis-1,2-Dichloroethene	4.88	0.250	0.500	ug/l	5.00		98	70-130	5	30	
Ethylbenzene	5.40	0.210	0.500	ug/l	5.00		108	70-130	6	30	
m,p-Xylene	5.41	0.330	0.500	ug/l	5.00		108	70-130	5	30	
Methylene chloride	5.10	0.303	0.500	ug/l	5.00		102	70-130	1	30	
o-Dichlorobenzene	4.76	0.190	0.500	ug/l	5.00		95	70-130	5	30	
o-Xylene	5.29	0.200	0.500	ug/l	5.00		106	70-130	5	30	
p-Dichlorobenzene	4.68	0.180	0.500	ug/l	5.00		94	70-130	5	30	
Styrene	5.19	0.190	0.500	ug/l	5.00		104	70-130	5	30	
Tetrachloroethene	4.55	0.180	0.500	ug/l	5.00		91	70-130	5	30	
Toluene	5.08	0.294	0.500	ug/l	5.00		102	70-130	5	30	
trans-1,2-Dichloroethene	4.93	0.259	0.500	ug/l	5.00		99	70-130	5	30	
Trichloroethene	4.80	0.180	0.500	ug/l	5.00		96	70-130	7	30	
Vinyl chloride	4.86	0.180	0.500	ug/l	5.00		97	70-130	2	30	
<i>Surrogate(s)</i>											
1,2-Dichlorobenzene-d4	10.3			ug/l	10.0		103	70-130			
4-Bromofluorobenzene	10.2			ug/l	10.0		102	70-130			

AECOM - Honolulu
 1001 Bishop Street Suite 1600
 Honolulu, HI 96813

Project Number: 60674414, COC # 01092022 DW-53

Reported:
 01/13/2022 17:55

Project Manager: Margie Pascua

Notes and Definitions

Item	Definition
BS-04	The recovery of this analyte in LCS or LCSD was outside control limit. Sample was accepted based on the remaining LCS, LCSD or LCS-LL.
J	Estimated conc. detected <MRL and >MDL.
Q-02	Low recovery of this analyte in the QC sample. The analysis of the low level standard produced acceptable recovery indicating that the sample result might be accurately reported as Not Detected.
Q-08	High bias in the QC sample does not affect sample result since analyte was not detected or below the reporting limit.
Q-12	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on the percent recoveries and/or other acceptable QC data.
R-01	The MDL and/or MRL for this analyte has been raised to account for matrix interference.
U	Analyte included in the analysis, but not detected
%REC	Percent Recovery
Dil	Dilution
MDL	Method Detection Limit
MRL	The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence. The MRL is also known as Limit of Quantitation (LOQ)
ND	NOT DETECTED at or above the Method Reporting Limit (MRL). If Method Detection Limit (MDL) is reported, then ND means not detected at or above the MDL.
RPD	Relative Percent Difference
Source	Sample that was matrix spiked or duplicated.

Any remaining sample(s) will be disposed of one month from the final report date unless other arrangements are made in advance.

All results are expressed on wet weight basis unless otherwise specified.

All samples collected by Weck Laboratories have been sampled in accordance to laboratory SOP Number MIS002.

Memorandum

To	Karen Mixon, Data Validation Manager	Info	Completed
Subject	Summary Data Quality Review Joint Base Pearl Harbor-Hickam, Hawaii Red Hill Bulk Fuel Storage Facility		
From	Kristin Rutherford, Chemist		
Date	January 16, 2022		

The summary data quality review of 10 water samples collected on January 8 and 9, 2022, has been completed. The samples were collected by AECOM personnel and were analyzed at Eurofins TestAmerica, in Seattle, Washington for total petroleum hydrocarbons (TPHs) by EPA Method 8260/CALUFT (gasoline-range, C6-C12 hydrocarbons), EPA Method 8015D (diesel range, C9-C25 hydrocarbons, and motor oil range, C24-C40 hydrocarbons), volatile organic compounds (VOCs) by EPA Method 8260D, and semivolatile organic compounds (SVOCs) by EPA Method 8270E. The analyses were performed in general accordance with the specified TPH methods and/or with methods specified in EPA's *Test Methods for Evaluating Solid Waste (SW-846)*. The laboratory provided a summary report containing sample results and associated quality assurance (QA) and quality control (QC) data. The following samples are associated with Eurofins TestAmerica-Seattle laboratory groups 580-109117-1, 580-109117-5, 580-109117-6, 580-109117-7, 580-109117-8 and 580-109169-1:

Sample ID	Laboratory IDs	Requested Analyses
20220108-D4-TY04	580-109117-1	TPH, VOCs, SVOCs
20220108-A3-ZT01	580-109117-6	TPH, VOCs, SVOCs
20220108-C3-ZT02	580-109117-7	TPH, VOCs, SVOCs
20220108-E1-ZT03	580-109117-4	TPH, VOCs, SVOCs
20220108-B1-ZT04	580-109117-5	TPH, VOCs, SVOCs
220109-C3-ZT-01	580-109169-1	TPH
20220109-D4-YT-04	580-109169-2	TPH
20220109-A3-YT-02	580-109169-3	TPH
20220109-E1-YT-03	580-109169-4	TPH
220109-B1-ZT-03	580-109169-5	TPH

Upon receipt by the laboratory, the sample jar information was compared to the associated chain-of-custody (COC) and the cooler temperatures were recorded. The cooler temperatures were received within the EPA-recommended limits of greater than 0°C and less than or equal to 6°C. Results for the full VOC analyte list were reported for the samples noted in the table above but were not requested on the COCs. Results for TPH (gasoline-range organics) were reported for sample 20220108-D4-TY04 but were not requested on the COC for laboratory group 580-109117-1.

Data validation is based on method performance criteria and QC criteria documented in the laboratory reports. Holding times, field/method/trip blanks, surrogate recoveries, laboratory control sample results, and reporting limits were reviewed to assess compliance with applicable methods and laboratory control criteria. If data qualification was required, data were qualified based on the definitions and use of qualifying flags outlined in the EPA document *National Functional Guidelines for Organic Superfund Methods Data Review*, November 2020. The following results required qualification:

- No TPH data were qualified in association with these laboratory groups.



**Summary Data Quality Review
 Joint Base Pearl Harbor-Hickam, Hawaii
 Red Hill Bulk Fuel Storage Facility**

- The following VOC surrogate percent recoveries were below the laboratory control limits:

Sample	Surrogate	%Recovery	Control Limits
20220108-A3-ZT01	Toluene-d8	0.3%	80-120%
20220108-C3-ZT02	Toluene-d8	0.3%	80-120%
20220108-B1-ZT04	Toluene-d8	0.3%	80-120%
20220108-D4-TY04	Toluene-d8	0.3%	80-120%

All positive results in these samples were qualified as estimated ‘J’ and all non-detect results were rejected and flagged ‘R’ based on the surrogate recoveries.

- The following percent recoveries for the SVOC surrogates were below the laboratory control limits:

Sample	Surrogate	%Recovery	Control Limits
20220108-A3-ZT01	2-Fluorophenol	0.7%	21-120%
	Phenol-d5	0%	10-120%
20220108-C3-ZT02	Phenol-d5	8%	10-120%
20220108-B1-ZT04	2-Fluorophenol	12%	21-120%
	Phenol-d5	0%	10-120%
20220108-D4-TY04	2-Fluorophenol	0.3%	21-120%
	Phenol-d5	0.5%	10-120%

The positive results for the acid compounds in the samples noted in the table above were qualified as estimated and flagged ‘J’ and the non-detect results were rejected and flagged ‘R’ based on the acid surrogate recoveries. The compounds are listed below:

2,4,5-Trichlorophenol
2,4,6-Trichlorophenol
2,4-Dichlorophenol
2,4-Dimethylphenol
2,4-Dinitrophenol
2-Chlorophenol
2-Methylphenol
3 & 4 Methylphenol
4,6-Dinitro-2-methylphenol
4-Chloro-3-methylphenol
4-Nitrophenol
Pentachlorophenol
Phenol

- The following SVOC laboratory control sample/laboratory control sample duplicate (LCS/LCSD) recoveries were outside the laboratory control limits:



**Summary Data Quality Review
Joint Base Pearl Harbor-Hickam, Hawaii
Red Hill Bulk Fuel Storage Facility**

LCS/LCSD ID	Compound	%Recovery LCS/LCSD	Control Limits	Sample(s)
LCS 580-377974/2-A LCS 580-377974/3-A	Hexachlorocyclopentadiene	8%/9%	10-125%	20220108-A3-ZT01 20220108-C3-ZT02 20220108-E1-ZT03 20220108-B1-ZT04

The non-detect results for hexachlorocyclopentadiene in all samples were rejected and flagged 'R' based on recoveries less than 10%.

- Project screening levels were met for all non-detect SVOC results, with the exception of hexachlorobenzene that had a method detection limit of approximately 0.040 ug/L in all samples, which exceeded the project screening level of 0.0003 ug/L.
- The laboratory noted that the minimum response factor (RF) for n-nitroso-di-n-propylamine was outside the method control criteria in the continuing calibration verification (CCV) associated with analysis batches 580-377989 and 580-378101. The results for n-nitroso-di-n-propylamine in samples 20220108-D4-TY04, 20220108-A3-ZT01, 20220108-C3-ZT02, 20220108-E1-ZT03, and 20220108-B1-ZT04 were qualified as estimated and flagged 'J.'

Memorandum

To	Karen Mixon, Data Validation Manager	Info	Completed
Subject	Summary Data Quality Review Joint Base Pearl Harbor-Hickam, Hawaii Red Hill Bulk Fuel Storage Facility		
From	Kristin Rutherford, Chemist		
Date	January 16, 2022		

The summary data quality review of 10 water samples collected on January 8 and 9, 2022, has been completed. The samples were collected by AECOM personnel and were analyzed at Eurofins TestAmerica, in Seattle, Washington for total petroleum hydrocarbons (TPHs) by EPA Method 8260/CALUFT (gasoline-range, C6-C12 hydrocarbons), EPA Method 8015D (diesel range, C9-C25 hydrocarbons, and motor oil range, C24-C40 hydrocarbons), volatile organic compounds (VOCs) by EPA Method 8260D, and semivolatile organic compounds (SVOCs) by EPA Method 8270E. The analyses were performed in general accordance with the specified TPH methods and/or with methods specified in EPA's *Test Methods for Evaluating Solid Waste (SW-846)*. The laboratory provided a summary report containing sample results and associated quality assurance (QA) and quality control (QC) data. The following samples are associated with Eurofins TestAmerica-Seattle laboratory groups 580-109117-1, 580-109117-5, 580-109117-6, 580-109117-7, 580-109117-8 and 580-109169-1:

Sample ID	Laboratory IDs	Requested Analyses
20220108-D4-TY04	580-109117-1	TPH, VOCs, SVOCs
20220108-A3-ZT01	580-109117-6	TPH, VOCs, SVOCs
20220108-C3-ZT02	580-109117-7	TPH, VOCs, SVOCs
20220108-E1-ZT03	580-109117-4	TPH, VOCs, SVOCs
20220108-B1-ZT04	580-109117-5	TPH, VOCs, SVOCs
220109-C3-ZT-01	580-109169-1	TPH
20220109-D4-YT-04	580-109169-2	TPH
20220109-A3-YT-02	580-109169-3	TPH
20220109-E1-YT-03	580-109169-4	TPH
220109-B1-ZT-03	580-109169-5	TPH

Upon receipt by the laboratory, the sample jar information was compared to the associated chain-of-custody (COC) and the cooler temperatures were recorded. The cooler temperatures were received within the EPA-recommended limits of greater than 0°C and less than or equal to 6°C. Results for the full VOC analyte list were reported for the samples noted in the table above but were not requested on the COCs. Results for TPH (gasoline-range organics) were reported for sample 20220108-D4-TY04 but were not requested on the COC for laboratory group 580-109117-1.

Data validation is based on method performance criteria and QC criteria documented in the laboratory reports. Holding times, field/method/trip blanks, surrogate recoveries, laboratory control sample results, and reporting limits were reviewed to assess compliance with applicable methods and laboratory control criteria. If data qualification was required, data were qualified based on the definitions and use of qualifying flags outlined in the EPA document *National Functional Guidelines for Organic Superfund Methods Data Review*, November 2020. The following results required qualification:

- No TPH data were qualified in association with these laboratory groups.



**Summary Data Quality Review
 Joint Base Pearl Harbor-Hickam, Hawaii
 Red Hill Bulk Fuel Storage Facility**

- The following VOC surrogate percent recoveries were below the laboratory control limits:

Sample	Surrogate	%Recovery	Control Limits
20220108-A3-ZT01	Toluene-d8	0.3%	80-120%
20220108-C3-ZT02	Toluene-d8	0.3%	80-120%
20220108-B1-ZT04	Toluene-d8	0.3%	80-120%
20220108-D4-TY04	Toluene-d8	0.3%	80-120%

All positive results in these samples were qualified as estimated ‘J’ and all non-detect results were rejected and flagged ‘R’ based on the surrogate recoveries.

- The following percent recoveries for the SVOC surrogates were below the laboratory control limits:

Sample	Surrogate	%Recovery	Control Limits
20220108-A3-ZT01	2-Fluorophenol	0.7%	21-120%
	Phenol-d5	0%	10-120%
20220108-C3-ZT02	Phenol-d5	8%	10-120%
20220108-B1-ZT04	2-Fluorophenol	12%	21-120%
	Phenol-d5	0%	10-120%
20220108-D4-TY04	2-Fluorophenol	0.3%	21-120%
	Phenol-d5	0.5%	10-120%

The positive results for the acid compounds in the samples noted in the table above were qualified as estimated and flagged ‘J’ and the non-detect results were rejected and flagged ‘R’ based on the acid surrogate recoveries. The compounds are listed below:

2,4,5-Trichlorophenol
2,4,6-Trichlorophenol
2,4-Dichlorophenol
2,4-Dimethylphenol
2,4-Dinitrophenol
2-Chlorophenol
2-Methylphenol
3 & 4 Methylphenol
4,6-Dinitro-2-methylphenol
4-Chloro-3-methylphenol
4-Nitrophenol
Pentachlorophenol
Phenol

- The following SVOC laboratory control sample/laboratory control sample duplicate (LCS/LCSD) recoveries were outside the laboratory control limits:



**Summary Data Quality Review
Joint Base Pearl Harbor-Hickam, Hawaii
Red Hill Bulk Fuel Storage Facility**

LCS/LCSD ID	Compound	%Recovery LCS/LCSD	Control Limits	Sample(s)
LCS 580-377974/2-A LCS 580-377974/3-A	Hexachlorocyclopentadiene	8%/9%	10-125%	20220108-A3-ZT01 20220108-C3-ZT02 20220108-E1-ZT03 20220108-B1-ZT04

The non-detect results for hexachlorocyclopentadiene in all samples were rejected and flagged 'R' based on recoveries less than 10%.

- Project screening levels were met for all non-detect SVOC results, with the exception of hexachlorobenzene that had a method detection limit of approximately 0.040 ug/L in all samples, which exceeded the project screening level of 0.0003 ug/L.
- The laboratory noted that the minimum response factor (RF) for n-nitroso-di-n-propylamine was outside the method control criteria in the continuing calibration verification (CCV) associated with analysis batches 580-377989 and 580-378101. The results for n-nitroso-di-n-propylamine in samples 20220108-D4-TY04, 20220108-A3-ZT01, 20220108-C3-ZT02, 20220108-E1-ZT03, and 20220108-B1-ZT04 were qualified as estimated and flagged 'J.'

Memorandum

\

To	Karen Mixon, Data Validation Manager	Info	Completed
Subject	Summary Data Quality Review Joint Base Pearl Harbor-Hickam, Hawaii Red Hill Bulk Fuel Storage Facility		
From	Waverly Braunstein, Chemist		
Date	January 16, 2022		

The summary data quality review of five water samples and two trip blanks collected on January 9, 2022, has been completed. The samples were collected by AECOM personnel and were analyzed at WECK Laboratories, in City of Industry, California, for volatile organic compounds (VOCs) by EPA Method 524.2, semivolatle organic compounds (SVOCs) and organochlorine pesticides by EPA Method 525.2, total metals (antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, selenium, and thallium) by EPA Method 200.8, total mercury by EPA Method 245.1, PCBs (Aroclors) by EPA Method 508.1, and total organic carbon (TOC) by Standard Methods 5310B. The analyses were performed in general accordance with the methods specified in EPA’s drinking water program. The laboratory provided summary reports containing sample results and associated quality assurance (QA) and quality control (QC) data. The following samples are associated with WECK Laboratories groups 2A10034, 2A10038, 2A10040, 2A10041, and 2A10043:

Sample ID	Laboratory IDs	Requested Analyses
20220109-A3-YT-01 (Trip blank)	2A10038-02	VOC
20220109-A3-YT-02	2A10038-01	VOC, SVOC/Pest, Metals/Mercury, TOC, PCB
20220109-B1-ZT-03	2A10041-01	VOC, SVOC/Pest, Metals/Mercury, TOC, PCB
20220109-C3-ZT-01	2A10034-01	VOC, SVOC/Pest, Metals/Mercury, TOC, PCB
20220109-C3-ZT-02 (Trip blank)	2A10034-02	VOC
20220109-D4-YT-04	2A10043-01	VOC, SVOC/Pest, Metals/Mercury, TOC, PCB
20220109-E1-YT-03	2A10040-01	VOC, SVOC/Pest, Metals/Mercury, TOC, PCB

Upon receipt by the laboratory, the sample jar information was compared to the associated chain-of-custody (COC) and the cooler temperatures were recorded. The cooler temperatures were received within the EPA-recommended limits of greater than 0°C and less than or equal to 6°C.

Data validation is based on method performance criteria and QC criteria documented in the laboratory reports. Holding times, field/method/trip blanks, surrogate recoveries, laboratory control sample results, and reporting limits were reviewed to assess compliance with applicable methods and laboratory control criteria. If data qualification was required, data were qualified based on the definitions and use of qualifying flags outlined in the EPA documents *National Functional Guidelines for Organic Superfund Methods Data Review*, November 2020 and *National Functional Guidelines for Inorganic Superfund Methods Data Review*, November 2020. The following results required qualification:

- The chain-of-custody was reviewed for completeness and agreement with reported results. Sample identification discrepancies are tabulated below. No action was taken other than this notation.

ID on COC	ID on Lab Report
20220109-A3-YT-02	2020109-A3-YT-02



**Summary Data Quality Review
Joint Base Pearl Harbor-Hickam, Hawaii
Red Hill Bulk Fuel Storage Facility**

ID on COC	ID on Lab Report
220109-B1-ZT-03	220109-B1-ZT-03
220109-C3-ZT-01	20220109-C3-ZT-01
220109-C3-ZT-02	20220109-C3-ZT-02

- No data were qualified for VOCs, Metals/Mercury, TOC, or PCBs in association with laboratory groups 2A10034, 2A10038, 2A10040, 2A10041, and 2A10043.
- The 2-methylnaphthalene results were qualified as non-detect and flagged ‘U’ at the reporting limits due to method blank contamination in samples 20220109-A3-YT-02, 20220109-B1-ZT-03, 20220109-C3-ZT-01, 20220109-D4-YT-04, and 20220109-E1-YT-03.
- The following percent recoveries for the SVOC/Pesticide laboratory control sample (LCS) were below the laboratory control limits:

LCS	Analyte	%Recovery	Control Limits
LCS (W2A0581-BS1)	Benzo (a) pyrene	44%	60-130%
LCS (W2A0581-BS1D)	Benzo (a) pyrene	57%	60-130%
LCS (W2A0581-BS1)	Heptachlor	67%	70-130%

The positive and non-detect results for benzo(a)pyrene and heptachlor in samples 20220109-A3-YT-02, 20220109-B1-ZT-03, 20220109-C3-ZT-01, 20220109-D4-YT-04, and 20220109-E1-YT-03 were qualified as estimated and flagged ‘J’ based on the LCS recoveries noted in the table above.

- The following analytes exceeded the Incident Specific Screening Criteria:

Sample Name	Analyte	Result	MDL	Incident Specific Screening Criteria	Units
2020109-A3-YT-02	Endrin	ND	0.00991	0.0023	µg/L
2020109-A3-YT-02	Heptachlor	ND	0.00965	0.0036	µg/L
2020109-A3-YT-02	Heptachlor epoxide	ND	0.0122	0.0036	µg/L
2020109-A3-YT-02	Hexachlorobenzene	ND	0.098	0.0003	µg/L
20220109-C3-ZT-01	Endrin	ND	0.00991	0.0023	µg/L
20220109-C3-ZT-01	Heptachlor	ND	0.00965	0.0036	µg/L
20220109-C3-ZT-01	Heptachlor epoxide	ND	0.0122	0.0036	µg/L
20220109-C3-ZT-01	Hexachlorobenzene	ND	0.098	0.0003	µg/L
20220109-D4-YT-04	Endrin	ND	0.00991	0.0023	µg/L
20220109-D4-YT-04	Heptachlor	ND	0.00965	0.0036	µg/L
20220109-D4-YT-04	Heptachlor epoxide	ND	0.0122	0.0036	µg/L
20220109-D4-YT-04	Hexachlorobenzene	ND	0.098	0.0003	µg/L
20220109-E1-YT-03	Endrin	ND	0.00991	0.0023	µg/L
20220109-E1-YT-03	Heptachlor	ND	0.00965	0.0036	µg/L
20220109-E1-YT-03	Heptachlor epoxide	ND	0.0122	0.0036	µg/L



Summary Data Quality Review
Joint Base Pearl Harbor-Hickam, Hawaii
Red Hill Bulk Fuel Storage Facility

Sample Name	Analyte	Result	MDL	Incident Specific Screening Criteria	Units
20220109-E1-YT-03	Hexachlorobenzene	ND	0.098	0.0003	µg/L
220109-B1-ZT-03	Endrin	ND	0.00991	0.0023	µg/L
220109-B1-ZT-03	Heptachlor	ND	0.00965	0.0036	µg/L
220109-B1-ZT-03	Heptachlor epoxide	ND	0.0122	0.0036	µg/L
220109-B1-ZT-03	Hexachlorobenzene	ND	0.098	0.0003	µg/L